

Get to know E2/AS1 Fourth edition

INFORMATION ON THE NEW EDITION OF THE ACCEPTABLE SOLUTION

On 28 July 2025, MBIE published Acceptable Solution E2/AS1 Fourth Edition.

If you have used E2/AS1 in the past, you may see some changes in the new version.



New layout

Since 2021, MBIE has been publishing new editions of the acceptable solutions and verification in an updated document format. The new format has a consistent layout and structure and should be easier to use in an electronic format. Consequently, some of the headings and paragraph numbers in E2/AS1 have changed to fit in the new layout.



Building Product Specifications

The acceptable solution now includes references to the Building Product Specifications. Further information on the Building Product Specifications and what purposes it is used for are provided in the acceptable solution.



Minor amendments that do not affect the level of performance

Other minor amendments have been made to the acceptable solution that do not affect the level of performance require but may assist in the interpretation and use of the document. This includes corrections for typos, grammar, formatting, cross-references, and punctuation. Portions have also been revised to reflect current practices for drafting the text.

We have provided the table on the follow pages to outline the differences between the Third edition and Fourth edition including:

- A side-by-side index of the headings and paragraph numbers that have changed, and
- Comments on specific headings and paragraphs where the text has changed.

This table has been provided for information only. The wording and numbering in the acceptable solution itself takes precedence.

The previous edition of E2/AS1 can still be used to demonstrate compliance with the Building Code until 31 July 2026.

Information on the fourth edition

E2/AS1 Third edition	E2/AS1 Fourth edition	Comments on E2/AS1 Fourth Edition
Document title: <none>	Document title: External moisture provisions for timber-framed buildings up to 10 m in height	New title added to the document based on the contents of the acceptable solution.
	Part 1. General	New heading to align with drafting of other AS/VMs
	1.1 Introduction	New heading to align with drafting of other AS/VMs
1.0 Scope	1.1.1 Scope of this document	
1.0 [First sentence]	1.1.1.1	
1.0 [Second sentence]	Features of this document	Relocated to the front matter of the document.
1.1 Construction included	1.1.1.2	
1.1 [Second paragraph]	1.1.1.3	
1.1.1 Attached garages	1.1.1.4	
1.2 Construction excluded	1.1.2 Items outside the scope of this document	Heading revised to align with drafting of other AS/VMs
1.2.1 Outbuildings	1.1.2.2	
1.2.2 Spread of flame	1.1.2.3	
1.2.3 Acoustics	1.1.2.4	
1.3 Provisions for snow	1.1.2.5	
1.4 Specific design	1.1.2.1	Sentence rewritten
	1.1.3 Compliance pathway	New heading to align with drafting of other AS/VMs
	1.1.3.1	New paragraph to describe the compliance with E2. Adapted from the table in E2/VM2.
	1.1.3.2	New paragraph to remind users that alternatives may also be used for compliance.
	1.2 Using this acceptable solution	New heading to align with drafting of other AS/VMs
1.5 Qualifications	1.2.1	
	1.2.1.1	New paragraph. Text previously found in comment boxes in the document and revised based on the current regulations.
	1.2.1.2	New paragraph. Text previously found in comment boxes in the document and revised based on the current regulations.

Information on the fourth edition

E2/AS1 Third edition	E2/AS1 Fourth edition	Comments on E2/AS1 Fourth Edition
	1.2.2 Content of this acceptable solution	New heading. Paragraphs relocated to 1.2.2 from elsewhere in the document.
	1.2.3 Building Product Specifications	New subsection on the Building Product Specifications
	1.2.3.1	New paragraph on the scope of the Building Product Specifications.
	1.2.3.2	New paragraph on the compliance pathway using the Building Product Specifications.
2.0 General	Part 2. Cladding systems and materials	Heading revised to be more specific about the contents of the part.
2.1 Weathertightness	<Heading removed>	Relocated to 1.2.2
2.1 [Paragraph text]	1.2.2.1	Sentence rewritten
2.2 Materials	2.1 Cladding systems	
	2.1.1 Selection of materials	New heading
2.2 [Paragraph text]	2.1.1.1	
2.3 Systems versus materials	2.1.2	
2.3 [Paragraph text]	2.1.2.1	Italics removed from durability.
2.4 Cladding finish colours	2.1.3	
2.4 [Paragraph text]	2.1.3.1	
2.5 Maintenance - general	2.2 Maintenance	
	2.2.1 Maintenance to achieve durability	New heading
2.5 [First Paragraph]	2.2.1.1	Italics removed from durability.
2.5 [Second Paragraph]	2.2.1.2	
2.5.1 Regular maintenance	2.2.2	
2.5.1 [Paragraph text]	2.2.2.1	
3.0 Weathertightness risk factors	Part 3. Weathertightness risk factors	
3.1 Establishing the risk	3.1 Establishing the risk	
	3.1.1 Risk assessment	New heading
3.1 [Paragraph text]	3.1.1.1	
Figure 1	Figure 3.1.1.1	Wording revised to align with text and paragraphs.
3.1.1 Definitions of risk	3.1.2 Definitions of risk	
3.1.1 [Paragraph text]	3.1.2.1	

Information on the fourth edition

E2/AS1 Third edition	E2/AS1 Fourth edition	Comments on E2/AS1 Fourth Edition
Table 1	Table 3.1.2.1	'D: Eaves width 5 Very high risk' revised for 0 to 600 mm above two storey Storey italicised.
3.1.2 The risk score	3.1.3 The risk score	
3.1.2 [First paragraph]	3.1.3.1	
3.1.3 [Second paragraph]	3.1.3.2	
Table 2	Table 3.1.3.1	Text at bottom converted to table note. Term 'figures' replaced with 'numbers'
Table 3	Table 3.1.3.2	Rows and columns unmerged Text at top and for specific design converted to table notes. Wording revised for 'fibre cement sheet' and 'bevel-back timber weatherboards'
3.2 Deleted	<Heading removed>	
3.3 Wall claddings	<Heading removed>	
3.3 [First paragraph]	3.1.3.3	Rewritten. Replicated in Part 9
3.3 [Second paragraph]	3.1.3.4	
3.4 Examples using the risk matrix	Appendix D. Examples using the risk matrix	Examples relocated to new appendix.
3.4 [Paragraph text]	3.1.3.4	Rewritten to cross-reference to Appendix D.
3.4.1 Example 1	D.1 Simple buildings – example 1	
	D.1.1 Description of the building	
3.4.1 [Paragraph text]	D.1.1.1	
3.4.1 Comment [First paragraph]	D.1.1.2	
3.4.1 Comment [Second paragraph]	D.1.1.3	
3.4.1 Comment [Third paragraph]	D.1.1.4	
Figure 2	Figure D.1.1.1	
	D.1.2 Calculation of the risk score	New heading
3.4.1 Comment [Fourth paragraph]	D.1.2.1	Rewritten
Table 4	Table D1.2.1	
3.4.1.1	D.1.3 Cladding options	
3.4.1.1 [Paragraph text]	D.1.3.1	
3.4.2 Example 2	D.2 Moderately complex buildings – example 2	

Information on the fourth edition

E2/AS1 Third edition	E2/AS1 Fourth edition	Comments on E2/AS1 Fourth Edition
	D.2.1 Description of the building	
3.4.2 [Paragraph text]	D.2.1.1	
3.4.2 Comment [First paragraph]	D.2.1.2	
3.4.2 Comment [Second paragraph]	D.2.1.3	
3.4.2 Comment [Third paragraph]	D.2.1.4	
3.4.2 Comment [Fourth paragraph]	D.2.1.5	
Figure 3	Figure D.2.1.1	
	D.2.2 Calculation of the risk score	New heading
3.4.2 Comment [Fifth paragraph]	D.2.2.1	
3.4.2 Comment [Sixth paragraph]	D.2.2.2	
3.4.2 Comment [Seventh paragraph]	D.2.2.3	
Table 5	Table D.2.2.1	
3.4.2.1	D.2.3 Cladding options	
3.4.2.1 [Paragraph text]	D.2.3.1	Heading combined with paragraph text. Wording revised for 'bevel-back timber'.
3.4.2.2 Cladding options – north and east elevations	D.2.3.2	Heading combined with paragraph text.
3.4.3 Example 3	D.3 Complex buildings – example 3	
	D.3.1 Description of the building	
3.4.3 [Paragraph text]	D.3.1.1	
3.4.3 Comment [First paragraph]	D.3.1.2	
Figure 4	Figure D.3.1.1	
	D.3.2 Calculation of the risk score	New heading
3.4.3 Comment [Second paragraph]	D.3.2.1	
3.4.3 Comment [Third paragraph]	D.3.2.2	
3.4.3 Comment [Fourth paragraph]	D.3.2.3	
3.4.3 Comment [Fifth paragraph]	D.3.2.4	
Table 6	Table D3.2.1	
3.4.3.1	D.3.3 Cladding options	
3.4.3.1 [Paragraph text]	D.3.3.1	Sentence re-written.
3.4.3.2	D.3.3.2	Revised to "bevel-back timber weatherboards"
4.0 Flashings	Part 4. Flashings	

Information on the fourth edition

E2/AS1 Third edition	E2/AS1 Fourth edition	Comments on E2/AS1 Fourth Edition
	4.1 Demonstrating compliance	New heading to align with drafting of other AS/VMs.
	4.1.1 Overview	New heading to align with drafting of other AS/VMs.
	4.1.1.1	New paragraph to introduce the subsection.
4.1 Materials for flashings	4.2 Materials	Paragraph text removed from document.
4.2 Selection of flashing materials	4.2.1 Selection of flashing materials	
4.2 [Paragraph text]	4.2.1.1	Italics removed from durability.
4.2.1 Environment	4.2.1.2	Italics removed from durability.
4.2.2 Surrounding materials	4.2.1.3	Portion of sentence redrafted to simplify the text.
4.2.2 [Second paragraph]	4.2.1.4	
4.3 Acceptable flashing materials	<Heading removed>	
4.3 [Paragraph text]	4.2.1.5	Italics removed from durability.
4.3.1 uPVC flashings	4.2.2 uPVC flashings	
4.3.1 [First paragraph]	4.2.2.1	
4.3.1 [Second paragraph]	4.2.2.2	Wording revised to 'AS/NZS 4256.2'.
4.3.1 [Third paragraph]	4.2.2.3	
4.3.1 [Fourth paragraph]	4.2.2.4	
4.3.2 Aluminium flashings	4.2.3 Aluminium flashings	
4.3.2 [Paragraph text]	4.2.3.1	
4.3.3 Galvanized steel flashings	4.2.4 Galvanized steel flashings	
4.3.4 [Paragraph text]	4.2.4.1	
4.3.4 Aluminum-zinc-magnesium (combinations) coated steel flashing to AS 1397	4.2.5 Aluminum-zinc-magnesium (combinations) coated steel flashings	Heading combined with paragraph text and rewritten.
4.3.4 [Paragraph text]	4.2.5.1	
4.3.5 Stainless steel flashings	4.2.6 Stainless steel flashings	
4.3.5 [Paragraph text]	4.2.6.1	
4.3.6 Copper flashings	4.2.7 Copper flashings	
4.3.6 [Paragraph text]	4.2.7.1	
4.3.7 Lead sheet flashings	4.2.8 Lead sheet flashings	
4.3.7 [Paragraph text]	4.2.8.1	
4.3.8 Zinc sheet flashings	4.2.9 Zinc sheet flashings	
4.3.8 [First paragraph]	4.2.9.1	

Information on the fourth edition

E2/AS1 Third edition	E2/AS1 Fourth edition	Comments on E2/AS1 Fourth Edition
4.3.8 [Second paragraph]	4.2.9.2	
4.3.9 Butyl rubber and EPDM flashings	4.2.10 Butyl rubber and EPDM flashings	
4.3.9 [First paragraph]	4.2.10.1	
4.3.9 [Second paragraph]	4.2.10.2	
4.3.10 Bituminous flashings	4.2.11 Bituminous flashings	
4.3.10 [First paragraph]	4.2.11.1	
4.3.10 [Second paragraph]	4.2.11.2	
4.3.11 Flexible flashing tape	4.2.12 Flexible flashing tape	
4.3.11 [Paragraph text]	4.2.12.1	
4.4 Fixings	4.3 Fixings	
	4.3.1 Fixings of flashings	
4.4 [First paragraph]	4.3.1.1	
4.4 [Second paragraph]	4.3.1.1	
4.5 Flashing requirements	4.4 Flashing requirements	
	4.4.1 Flashing locations	New heading
	4.4.2 Expansion joints in flashings	New heading
4.5 [First paragraph]	4.4.2.1	
4.5 [Second paragraph]	4.4.1.1	
4.5.1 Edge treatments for flashings	4.4.3 Edge treatments for flashings	
4.5.1 [First paragraph]	4.4.3.1	
4.5.1 [Second paragraph]	4.4.3.2	
4.5.1 [Third paragraph]	4.4.3.3	
4.5.1 [Fourth paragraph]	4.4.3.4	
Figure 5	Figure 4.4.3.2	
4.5.2 Metal flashing joints	4.4.4 Metal flashing joints	
4.5.2 [Paragraph text]	4.4.4.1	4.4.4.1(f) formatted into a list with (i) and (ii)
Figure 6	Figure 4.4.4.1	
4.6 Flashing overlaps and upstands	4.5 Flashing overlaps and upstands	
	4.5.1 Flashing edges	New heading
4.6 [First paragraph]	4.5.1.1	
4.6 [Second paragraph]	4.5.1.2	
4.6 [Third paragraph]	4.5.1.3	
4.6 [Fourth paragraph]	4.5.1.4	

Information on the fourth edition

E2/AS1 Third edition	E2/AS1 Fourth edition	Comments on E2/AS1 Fourth Edition
Table 7	Table 4.5.1.1 General dimensions of metal flashings and other flashings as listed	Table title revised to be more generic to the types of flashings. Columns for minimum dimensions combined together to reduce repetition and empty cells. Additional missing table notes and figure references added to entries. New table note (8) added.
4.6.1 Overlap with roof claddings	4.5.2 Apron flashing to metal roofing	
4.6.1.1 Apron flashing cover over metal roofing, transverse flashing	4.5.2.1	Heading combined with paragraph text
Figure 7	Figure 4.5.2.1	
4.6.1.1 Apron flashing cover over metal roofing, Parallel flashing	4.5.2.2	Heading combined with paragraph text
	4.5.3 Roof-to-roof junction flashing cover for metal roofing	
4.6.1.2 Ridges and hips	4.5.3.1	Heading combined with paragraph text
4.6.1.3 change in metal roof pitches	4.5.3.2	Heading combined with paragraph text
	4.5.4 Roof edge junction flashing cover	
4.6.1.4 Roof- or deck-to-wall junctions	4.5.4.1	Heading combined with paragraph text
4.6.1.5 Barges	4.5.4.2	Heading combined with paragraph text
	4.5.5 Window, door, and inter-storey junction flashings	
4.6.1.6 Window and door heads	4.5.5.1	Heading combined with paragraph text
4.6.1.7 Inter-storey junctions	4.5.5.2	Heading combined with paragraph text
5.0 Roof/wall junctions	Part 5. Roof-to-wall junctions	
	5.1 Demonstrating compliance	New heading to align with drafting of other AS/VMs.
	5.1.1 Overview	New heading to align with drafting of other AS/VMs.
	5.1.1.1	New paragraph to introduce the subsection.

Information on the fourth edition

E2/AS1 Third edition	E2/AS1 Fourth edition	Comments on E2/AS1 Fourth Edition
5.1 Apron flashings	5.1.2 Apron flashings	
5.1 [First paragraph]	5.1.2.1	
5.2 [Second paragraph]	5.1.2.2	
5.2 [Third paragraph]	5.1.2.3	
5.2 [Fourth paragraph]	5.1.2.4	
Figure 8B	Figure 5.1.2.4	Note on bottom left hand side revised with correct cross-references for materials and to state the transition tray is on the exterior face of the wall cladding.
5.2 Gutters, barges, and fascias	5.1.3 Gutters, barges, and fascias	
5.2 [First paragraph]	5.1.3.1	
5.2 [Second paragraph]	5.1.3.2	
5.3 Soffits	5.1.4	
5.3 [First sentence]	5.1.4.1	
5.3 [Second sentence]	5.1.4.2	Formatted as a list.
5.3 [Third sentence]	5.1.4.3	
Figure 8A	Figure 5.1.4.2	Details (c) and (d) revised to correctly label the angle of soffit as 1° to 25° above horizontal.
6.0 Parapets	Part 6. Parapets	
6.0 [Paragraph text]	6.1.1.3	
	6.1 Demonstrating compliance	
	6.1.1 Overview	
	6.1.1.1	New paragraph
6.1 Limitations	6.1.1.2	
6.2 General	6.1.1.4	
6.2 [Second paragraph]	6.1.1.5	
6.2 [Third paragraph]	6.1.1.6	
Figure 10	Figure 6.1.1.4A	Alternative packing labelled as detail (c).
Figure 9	Figure 6.1.1.4B	
	6.2 Cappings	
6.3 Capping materials	6.2.1 Capping materials	
6.3 [Paragraph text]	6.2.1.1	
6.4 Metal cappings	6.2.2 Metal cappings	
6.4 [First paragraph]	6.2.2.1	

Information on the fourth edition

E2/AS1 Third edition	E2/AS1 Fourth edition	Comments on E2/AS1 Fourth Edition
6.4 [Second paragraph]	6.2.2.2	
6.4.1 Parapet-to-wall junctions	6.2.3 Parapet-to-wall junctions with metal cappings	Relocated out from underneath metal cappings
6.4.1 [First paragraph]	6.2.3.1	
6.4.2 [Second paragraph]	6.2.3.2	
Figure 11	Figure 6.2.3.1A	
Figure 12	Figure 6.2.3.1B General junction of parapet and enclosed balustrade-to-wall with metal capping	Figure name revised
6.5 Membrane cappings	6.2.4 Membrane cappings	
6.5 [Paragraph text]	6.2.4.1	
6.6 Integral surface cappings	6.2.5 Integral surface cappings	Wording revised so that stucco is not listed as a material for integral surface cappings (such cappings are not included in Section 9.3), and to make it clear that EIFS and flush-finished fibre cement are separate alternatives (not used in combination).
6.6 [Paragraph text]	6.2.5.1	
7.0 Decks and pergolas	Part 7. Decks and pergolas	
	7.1 Demonstrating compliance	New heading to align with drafting of other AS/VMs.
	7.1.1 Overview	New heading to align with drafting of other AS/VMs.
	7.1.1.1	New paragraph to introduce the subsection.
	7.1.2 Materials	New heading to align with other parts of E2/AS1.
7.0 [Paragraph text]	7.1.2.1	
7.1 Thresholds for decks	7.2 Thresholds for decks	
	7.2.1 Threshold height above deck surface	New heading
7.1 [First paragraph]	7.2.1.1	
7.1 [Second paragraph]	7.2.1.2	
Figure 14	Figure 7.2.1.1	
7.1.1 Slatted decks	7.2.2 Thresholds of slatted decks	Heading revised
7.1.1 [First paragraph]	7.2.2.1	
7.1.1 [Second paragraph]	7.2.2.2	Exterior wall changed to external wall

Information on the fourth edition

E2/AS1 Third edition	E2/AS1 Fourth edition	Comments on E2/AS1 Fourth Edition
7.1.2 Enclosed decks	7.2.3 Thresholds of enclosed decks	Heading revised
7.1.2 [First paragraph]	7.1.1.2	Relocated to 7.1.1. as it relates to the overview of the part.
7.1.2 [Second paragraph]	7.2.3.1	
7.2 Attachment to building structure	7.3 Attachment to building structure	
7.2.1 Slatted timber decks to walls	7.3.1 Slatted non-cantilevered timber decks to walls	Heading revised
7.2.1 [First paragraph]	7.3.1.1	
7.2.1 [Second paragraph]	7.3.1.2	
7.2.1 [Third paragraph]	7.3.1.3	
7.2.1.1 Cantilevered decks	7.3.1 Slatted cantilevered timber decks to walls	Heading revised
7.2.1.1 [Paragraph text]	7.3.2.1	Exterior wall changed to external wall
Figure 15	Figure 7.3.1.1	
Figure 16	Figure 7.3.2.1	Figure notes revised to use consistent terminology in the document and to state the position of the saddle flashing.
7.2.2 Pergolas	7.3.2	Exterior wall changed to external wall
7.2.2 [Paragraph text]	7.3.2.1	
7.3 Level threshold	7.4 Level thresholds	
7.3 [Paragraph text]	<Paragraph removed>	Redundant with paragraphs in this section.
Figure 17A	Figure 7.4.1.1	
Figure 17B	Figure 7.4.2.1	
Figure 17D	Figure 9.1.10.3	Relocated to Part 9 as only referenced in relation to wall claddings
Figure 17C	Figure 9.1.10.4	Relocated to Part 9 as only referenced in relation to wall claddings
7.3.1 Enclosed decks	7.4.1 Level access from enclosed decks	
7.3.1 [Paragraph text]	7.4.1.1	
7.3.1.1 Removable surfaces	7.4.1.2	
7.3.1.2 Timber removable surface	7.4.1.3	Removed incorrect reference to B2/AS1.

Information on the fourth edition

E2/AS1 Third edition	E2/AS1 Fourth edition	Comments on E2/AS1 Fourth Edition
7.3.2 Ground floor level access	7.4.2 Ground floor level access	
7.3.2 [Paragraph text]	7.4.2.1	
7.3.2.1 Concrete slab	7.4.2.2	Comment box combined with list text.
7.3.2.2 Timber floor	7.4.2.3	
7.4 Enclosed balustrades	7.5 Enclosed balustrades	
	7.5.1 Cladding systems for enclosed balustrades	New heading to describe the contents of the subsection.
7.4 [First sentence]	7.5.1.1	
7.4 [Second sentence]	7.5.1.2	
7.4 [Third sentence]	7.5.1.3	
7.4.1 Deck drainage	7.5.2	
7.4.1 [Paragraph text]	7.5.2.1	
7.4.2 Balustrade-to-wall junctions	7.5.3 Balustrade-to-wall junctions	
7.4.2 [Paragraph text]	7.5.3.1	
7.4.3 Balustrade-to-deck floor junction	7.5.4 Balustrade-to-deck floor junctions	
7.4.3 [First paragraph]	7.5.4.1	
7.4.3 [Second paragraph]	7.1.1.3	Relocated to 7.1.1 and revised to reference wall claddings and enclosed decks
Figure 18	Figure 7.5.4.1	
7.4.4 Metal cappings	7.5.5 Metal cappings	
7.4.4 [First paragraph]	7.5.5.1	
7.4.4 [Second paragraph]	7.5.5.2	
7.4.5 Stanchions	7.5.6 Stanchions	
7.4.5 [First paragraph]	7.5.6.1	
7.4.5 [Second paragraph]	7.5.6.2	
Figure 19	Figure 7.5.6.1	
8.0 Roof claddings	Part 8. Roof claddings	
8.1 General	8.1 Demonstrating compliance	
8.1.1 Weathertightness	8.1.1 Overview	
8.1.1 [Paragraph text]	8.1.1.1	Paragraph rewritten.
8.1.2 Limitations	<Heading removed>	
8.1.2 [First paragraph]	8.1.1.2	
8.1.2 [Second paragraph]	8.1.1.3	
8.1.3 Maintenance	<Heading and text removed>	Redundant text removed.

Information on the fourth edition

E2/AS1 Third edition	E2/AS1 Fourth edition	Comments on E2/AS1 Fourth Edition
8.1.3.1 Projective eaves	8.1.1.4	
8.1.4 Fixings	8.1.2 Fixings	
8.1.4 [First paragraph]	8.1.2.1	
8.1.4 [Second paragraph]	8.1.2.2	
8.1.5 Roof underlays	8.1.3 Roof underlays	
8.1.5 [First paragraph]	8.1.3.1	
8.1.5 [Second paragraph]	8.1.3.2	‘Layed’ changed to ‘laid’.
8.1.5.1 Underlay support	8.1.3.3	
8.1.6 Gutters general	8.1.4 Gutters, downpipes, and spreaders	
8.1.6 [First paragraph]	8.1.4.1	
8.1.6 [Second paragraph]	8.1.4.2	
8.1.6 [Third paragraph h) and i)]	8.1.4.3	Rewritten as separate paragraph.
8.1.6 [Third paragraph g) and j)]	8.1.4.4	
8.1.6 [Fourth paragraph]	8.1.4.4	
Figure 20	Figure 8.1.4.4	
8.1.6.1 Internal gutters	8.1.5 Internal gutters	
8.1.6.1 [First paragraph]	8.1.5.1	
8.1.6.1 [Second paragraph]	8.1.5.2	
8.1.6.1 [Third paragraph]	8.1.5.3	
8.1.6.2 Valley gutters and hidden gutters	8.1.6 Valley gutters and hidden gutters	
8.1.6.2 [First paragraph]	8.1.6.1	
8.1.6.2 [Second paragraph]	8.1.6.2	Rewritten into paragraph format. Previous 8.1.6.2 f) added to the list in 8.1.6.1.
Table 8	Table 8.1.6.1	
8.1.7 Roof penetrations	8.1.7 Roof penetrations	
8.1.7 [First paragraph]	8.1.7.1	
8.1.7 [Second paragraph]	8.1.7.2	
Table 9	Table 8.1.7.2	Penetrations widths revised from ‘600 to 800’ to ‘600 to 799’ as so forth to remove ambiguity.
Figure 21	Figure 8.1.7.2A	
Figure 22	Figure 8.1.7.2B	
8.2 Masonry tiles	8.2 Masonry tiles	

Information on the fourth edition

E2/AS1 Third edition	E2/AS1 Fourth edition	Comments on E2/AS1 Fourth Edition
	8.2.1 Use and limitations	New heading to align with other parts of E2/AS1.
	8.2.1.1	New paragraph to introduce the subsection.
8.2.1 Materials	8.2.2 Materials	
8.2.1 [Paragraph text]	8.2.2.1	Re-drafted into a list.
8.2.1.1 Tile profiles	8.2.2.2	Rewritten into paragraph format
8.2.2 General	<Heading removed>	
8.2.3 Installation	8.2.3 Installation	
8.2.3 [First paragraph]	8.2.3.1	Cross-reference revised to refer to the correct table.
8.2.3 [Second paragraph]	8.2.3.2	
8.2.3 [Third paragraph]	8.2.3.3	Corrosion zone changed to exposure zone.
8.2.4 [Fourth paragraph]	8.2.3.4	Standard worded as AS 4046.9
Table 10	Table 8.2.3.1	
8.2.4 Flashings and fixings	<Heading removed>	
8.2.4 [Paragraph text]	8.2.2.3	Relocated to 8.2.2 for materials.
8.2.5 Anti-ponding boards	8.2.4 Anti-ponding boards	
8.2.5 [First sentence]	8.2.4.1	
8.2.5 [Second sentence]	8.2.4.2	
8.2.6 Details and flashings	8.2.5 Details and flashings	
8.2.6 [Paragraph text]	8.2.5.1	Formatted into a list.
Figure 23	Figure 8.2.5.1A	
Figure 24	Figure 8.2.5.1B	
Figure 25	Figure 8.2.5.1C	
Figure 26	Figure 8.2.5.1D	
Figure 27	Figure 8.2.5.1E	
Figure 28	Figure 8.2.5.1F	
8.2.7 Penetrations	<Heading removed>	Combined into 8.2.5.1.
8.2.7 [First sentence]	8.2.5.1(g), (h), and (i)	Formatted into a list.
8.2.7 [Second sentence]	8.2.5.2	
Figure 29	Figure 8.2.5.1G	
Figure 30	Figure 8.2.5.1H	
Figure 31	Figure 8.2.5.1I	
8.3 Pressed metal tiles	8.3 Pressed metal tiles	
8.3.1 Limitations	8.3.1 Use and limitations	

Information on the fourth edition

E2/AS1 Third edition	E2/AS1 Fourth edition	Comments on E2/AS1 Fourth Edition
8.3.1 [Paragraph text]	8.3.1.1	
8.3.2 Installation	<Heading removed>	
8.3.3 Tiles and accessories	8.3.2 Materials	
8.3.3 [Paragraph text]	8.3.2.1	
8.3.4 Metal substrate	<Heading removed>	
8.3.4.1 Choice of metal	<Heading removed>	Comment box moved after steel and aluminium
8.3.4.2 Steel	8.3.2.2	
8.3.4.2 [Second paragraph]	8.3.2.3	Italics removed from durability.
8.3.4.3 Aluminium	8.3.2.4	Italics removed from durability.
8.3.5 Roof pitch	8.3.3 Roof pitch	
8.3.5 [First paragraph]	8.3.3.1	
8.3.5 [Second paragraph]	8.3.3.2	
8.3.5 [Third paragraph]	8.3.3.3	
Figure 32	Figure 8.3.3.1	
8.3.6 Underlay	8.3.4 Underlay	
8.3.6 [First paragraph]	8.3.4.1	
8.3.6 [Second paragraph]	8.3.4.2	
8.3.7 Fixings	8.3.5 Fixings	
8.3.7 [Paragraph text]	8.3.5.1	
Figure 33	Figure 8.3.5.1	
8.3.8 Flashings	8.3.6 Flashings	
8.3.8 [First paragraph]	8.3.6.1	Formatted into a list and rewritten.
8.3.8 [Second paragraph]	8.3.6.2	Cross reference to 8.3.4.2 revised to include steel and aluminium metal flashings [8.3.2.2, 8.3.2.3, 8.3.2.4]
Figure 34	Figure 8.3.6.1A	
Figure 35	Figure 8.3.6.1B	
Figure 36	Figure 8.3.6.1C	
Figure 37	Figure 8.3.6.1D	
8.3.9 Gutters, ridges, barges, and fascias	<Heading removed>	This subsection is redundant with 8.3.6.
8.3.9 [First paragraph]	<Paragraph removed>	Redundant with 8.3.6.1.
8.3.9 [Second paragraph]	8.3.6.2	
8.3.10 Roof penetrations	<Heading removed>	

Information on the fourth edition

E2/AS1 Third edition	E2/AS1 Fourth edition	Comments on E2/AS1 Fourth Edition
8.3.10 [Paragraph text]	8.3.6.3	
8.4 Profiled metal roof cladding	8.4 Profiled metal roof cladding	
8.4.1 Limitations	8.4.1 Use and limitations	
	8.4.1.1	New paragraph to introduce the section.
8.4.1 a), c), d)	8.4.1.2	Redrafted as a set of requirements Italics removed from durability in comment box.
8.4.1 b)	8.4.1.3	Redrafted as a separate paragraph to clarify the text.
8.4.2 General	<Heading removed>	
8.4.3 Materials	8.4.2 Materials	
8.4.3.1 Choice of metal	8.4.2.1	Paragraph revised to remove unnecessary standard citations. Italics removed from durability. Text in comment box revised to clarify the comment related to corrosion.
8.4.3.2 Steel	8.4.2.2	8.4.2.2(c) revised to reference Paragraph 8.4.2.1 and remove redundant cross reference.
8.4.3.3 Aluminium	8.4.2.3	
8.4.3.3 [Second paragraph]	8.4.2.4	
8.4.4 Profiles	8.4.3 Profiles	
8.4.4 [Paragraph text]	8.4.3.1	
Figure 38	Figure 8.4.3.1	
8.4.5 Roof pitch	8.4.4 Roof pitch and span	
8.4.5 [Paragraph text]	8.4.4.1	
8.4.6 Structure	8.4.4.2	Formatted into a list. Additional sentence added to comment box for spans and fixings not covered by the tables.
Table 11	Table 8.4.4.2A	
Table 12	Table 8.4.4.2B	
Table 13	Table 8.4.4.2C	Table units changed from m to mm for consistency with other tables.
Table 14	Table 8.4.4.2D	
Table 15	Table 8.4.4.2E	

Information on the fourth edition

E2/AS1 Third edition	E2/AS1 Fourth edition	Comments on E2/AS1 Fourth Edition
8.4.7 Underlay	8.4.5 Underlay	
8.4.7 {Paragraph text}	8.4.5.1	
8.4.8 Fixings: corrugated and trapezoidal	8.4.6 Fixings: corrugated and trapezoidal	
8.4.8 [Paragraph text]	8.4.6.1	Standard stated as AS 3566.2.
Figure 39	Figure 8.4.6.1	
8.4.8.1 Fixing requirements	8.4.6.2	Revised to include a cross-reference to Paragraph 8.4.8.2.
8.4.9 Fixings: trough profile	8.4.7 Fixings: trough profile	
8.4.9 [Paragraph text]	8.4.7.1	Standard stated as AS 3566.2
Figure 40	Figure 8.4.7.1	Figure noted added to state that the roof underlay is not shown.
8.4.10 Allowance for expansion	8.4.8 Allowance for expansion	
8.4.10 [First paragraph]	8.4.8.1	Italicise roof
8.4.10 [Second paragraph]	8.4.8.2	
Table 16	Table 8.4.8.1	
8.4.11 Flashing requirements	8.4.9 Flashings	
8.4.11a) and e)	<Removed from document>	Redundant with other paragraphs in this section.
8.4.11 b) and c)	8.4.9.2	Rewritten into paragraph format.
8.4.11 d)	8.4.9.1	Rewritten into paragraph format.
8.4.11.1 Fixing flashings	<Heading removed>	
8.4.11.1 a)	8.4.9.2	
8.4.11.1 b)	8.4.9.3	
8.4.11.1 c)	8.4.9.4	
8.4.11.2 d)	8.4.9.5	
Figure 41	Figure 8.4.9.2A	
Figure 42	Figure 8.4.9.2B	
8.4.12 Flashing details	8.4.9.6	
Figure 43	Figure 8.4.9.6A	
Figure 44	Figure 8.4.9.6B	
Figure 45	Figure 8.4.9.6C	
Figure 46	Figure 8.4.9.6D	Top right hand note on detail (b) revised to state square top ridge flashing.
Figure 47	Figure 8.4.9.6E	
Figure 48	Figure 8.4.9.6F	

Information on the fourth edition

E2/AS1 Third edition	E2/AS1 Fourth edition	Comments on E2/AS1 Fourth Edition
8.4.13 Stopends	8.4.10 Stopends, turn-downs, and profile closures	
8.4.10 [Paragraph text]	8.4.10.1	Italics added to roof and removed from pitch
Figure 49	Figure 8.4.10.1	
8.4.14 Turn-down at gutters	8.4.10.2	
8.4.15 Profile closure	8.4.10.3	
8.4.16 Hidden, valley, and internal gutters	8.4.11 Hidden, valley, and internal gutters	
8.4.16 [Paragraph text]	8.4.11.1	
8.4.16.1 Hidden gutters	8.4.11.2	
8.4.16.2 Valley gutters	8.4.11.3	
8.4.16.3 Internal gutters	8.4.11.4	
Figure 50	Figure 8.4.11.2	
Figure 51	Figure 8.4.11.3	“Roofing wrap” replaced with “roof underlay” for consistency of terms within the document.
Figure 52	Figure 8.4.11.4	
8.4.17 Roof penetrations	8.4.12 Roof penetrations	
8.4.17 [First paragraph]	8.4.12.1	
8.4.17 [Second paragraph]	8.4.12.2	
8.4.17 [Third paragraph]	8.4.12.3	
Table 17	Table 8.4.12.1	Penetrations widths revised from ‘600 to 800’ to ‘600 to 799’ as so forth to remove ambiguity.
Figure 53	Figure 8.4.12.3A	
Figure 54	Figure 8.4.12.3B	
Figure 55	Figure 8.4.12.3C	
8.5 Membrane roofs and decks	8.5 Membrane roofs and decks	
8.5.1 Limitations	8.5.1 Use and limitations	
8.5.1 [First paragraph]	8.5.1.1	
8.5.2 [Second paragraph]	8.5.1.2	Rewritten into paragraph format as requirements.
8.5.2 [Third paragraph]	8.5.1.3	
8.5.2 General	8.5.1.3	
8.5.3 Plywood substrate	8.5.2 Materials	
8.5.3 [Paragraph text]	8.5.2.1	
8.5.4 Butyl rubber and EPDM	8.5.2.2	

Information on the fourth edition

E2/AS1 Third edition	E2/AS1 Fourth edition	Comments on E2/AS1 Fourth Edition
8.5.5 Installation	8.5.3 Installation	
8.5.5.1 Plywood	8.5.3.1	
8.5.5.1 [Second paragraph]	8.5.3.2	
8.5.5.2 Butyl and EPDM	8.5.3.3	
8.5.5.2 [Second paragraph]	8.5.3.4	
8.5.6 Roof and deck drainage	8.5.4 Roof and deck drainage	
8.5.6 [a) to d)]	8.5.4.1	d) formatted into a list
8.5.6 e)	8.5.4.2	Rewritten into paragraph format.
Figure 56	Figure 8.5.4.1A	Cross reference to Figure 13 replaced with reference to Figure 12 [Figure 6.2.3.1B]. Roof and deck falls labelled in the drawings.
Figure 63	Figure 8.5.4.1B	
8.5.7 Control joints	8.5.5 Control joints	
8.5.7 [First paragraph]	8.5.5.1	
8.5.7 [Second paragraph]	8.5.5.2	
8.5.8 Junctions	8.5.6 Junctions	
8.5.8 [Paragraph text]	8.5.6.1	
Figure 57	Figure 8.5.6.1A	
Figure 58	Figure 8.5.6.1B	
Figure 61	Figure 8.5.6.1C	
Figure 62	Figure 8.5.6.1D	
8.5.8.1 Junctions with walls	8.5.6.2	
8.5.8.1 [Second paragraph]	8.5.6.3	
8.5.9 Penetrations	8.5.7 Penetrations	
8.5.9 [Paragraph text]	8.5.7.1	
Figure 59	Figure 8.5.7.1A	
Figure 60	Figure 8.5.7.1B	
8.5.9.1 Handrails	8.5.7.2	
8.5.10 Gutters	8.5.8 Gutters	
8.5.10 [Paragraph text]	8.5.8.1	
Figure 64	Figure 8.5.8.1	
9.0 Wall claddings	Part 9. Wall claddings	
9.1 General	9.1 Demonstrating compliance	New heading to align with drafting of other AS/VMs

Information on the fourth edition

E2/AS1 Third edition	E2/AS1 Fourth edition	Comments on E2/AS1 Fourth Edition
	9.1.1 Overview	New heading to align with drafting of other AS/VMs
9.1 [First paragraph]	9.1.1.1	Rewritten.
9.1 [Second paragraph]	9.1.1.4	
9.1.1 Limitations	<Heading removed>	
9.1.1 [First paragraph]	9.1.1.2	
9.1.1 [Second paragraph]	9.1.1.3	
9.1.1 [Third paragraph]	<Text removed>	Redundant with 9.1.1.4 and removed.
9.1.2 Maintenance	<Heading and text removed>	Redundant text removed.
9.1.3 Bottom of cladding	9.1.2 Bottom of cladding	
9.1.3 [First paragraph]	9.1.2.1	
9.1.3 [Second paragraph]	9.1.2.2	
9.1.3 [Third paragraph]	9.1.2.3	
Table 18	Table 9.1.2.1	Table columns re-configured for clarity of column headings
Figure 65	Figure 9.1.2.1	
9.1.3.1 Concrete slabs	9.1.2.4	Text combined with heading
9.1.3.2 Masonry veneer clearances	9.1.2.5	Text combined with heading
9.1.3.3 Bottom of wall claddings for concrete ground slabs (except masonry veneer)	9.1.2.6	Text combined with heading
9.1.3.4 Garages and openings to garages	9.1.2.7	
9.1.3.4 [Second paragraph]	9.1.1.5	Relocated to the start of this part.
9.1.3.5 Bottom of wall claddings for timber floor framing	9.1.2.8	
9.1.3.5 [Second paragraph]	9.1.2.8(c)	
9.1.4 Barriers to airflow	9.1.3 Barriers to airflow	Sentence rewritten
9.1.4 a)	9.1.3.1(a)	
9.1.4 b)	9.1.3.1(b)	
9.1.4 c)	9.1.3.2	Sentence rewritten
9.1.4 d)	9.1.3.3	Sentence rewritten
9.1.5 Wall underlays to wall openings	9.1.4 Wall underlays to wall openings	
9.1.5 [Paragraph text]	9.1.4.1	
9.1.6 Air seals	9.1.5 Air seals	

Information on the fourth edition

E2/AS1 Third edition	E2/AS1 Fourth edition	Comments on E2/AS1 Fourth Edition
9.1.6 [Paragraph text]	9.1.5.1	9.1.5.1(b) and (c) revised to include additional options to replace previous text that stated “or similar”.
9.1.7 Wall underlay	9.1.6 Wall underlay	
9.1.7.1 <no title>	9.1.6.1	
9.1.7.2 [First sentence]	9.1.6.2	
9.1.7.2 [Second sentence]	9.1.6.3	
9.1.7.2 [Second paragraph]	9.1.6.4	
9.1.8 Drained cavities	9.1.7 Drained cavities	
9.1.8 [Paragraph text]	9.1.7.1	
9.1.8.1 Limitations	9.1.7.2	
9.1.8.1 [Second paragraph]	9.1.7.3	
9.1.8.2 Requirements	9.1.7.4	
9.1.8.2 [Second paragraph]	9.1.7.4(f)	Added to list as (f). Last sentence revised to remove the self-reference.
Figure 66	Figure 9.1.7.4A	
Figure 67	Figure 9.1.7.4B	
9.1.8.3 Vermin-proofing	9.1.7.5	
9.1.8.3 [Second paragraph]	9.1.7.6	Inverted sentence
9.1.8.3 [Third paragraph]	9.1.7.7	
9.1.8.4 Cavity battens and jamb battens	9.1.7.8	
9.1.8.4 [Second paragraph]	9.1.7.9	Rewritten to be a sentence and align with wording in E2/VM1.
9.1.8.4 [Third paragraph]	9.1.9.4	Formatted into a list
9.1.8.5 Wall framing behind cavities	9.1.1.6	
9.1.8.5 [Second paragraph]	9.1.7.10	AS/NZS 4534, or
9.1.9 Penetrations	9.1.8 Penetrations	
9.1.9.1 Penetrations through cavities	9.1.8.1	
9.1.9.2 Other cavity penetrations	9.1.8.2	
9.1.9.3 Pipes and service penetrations	9.1.8.3	
Figure 68	Figure 9.1.8.3A	Detail for direct fix with flange plate labelled as (c).
Figure 69	Figure 9.1.8.3B	

Information on the fourth edition

E2/AS1 Third edition	E2/AS1 Fourth edition	Comments on E2/AS1 Fourth Edition
9.1.9.4 Inter-storey junctions	9.1.8.4	Storey italicised
Figure 70	Figure 9.1.8.4	
9.1.10 Windows and doors	9.1.9 Windows and doors	
9.1.10 [First paragraf]	9.1.9.2	Reference to NZS 4211 replaced with reference to the Building Products Specifications.
9.1.10 [Second paragraph]	9.1.9.3	
9.1.10.1 Scope	9.1.9.1	Changed 6 m to 6000 mm and 16 to 16.0 m ²
9.1.10.2 Treatment of opening	<Heading removed>	
9.1.10.2 a)	9.1.9.4	
9.1.10.2 b)	9.1.9.5	
9.1.10.2 c)	9.1.9.6	Word “Note” deleted.
9.1.10.2 d)	9.1.9.7	
9.1.10.2 e)	9.1.9.8	
Figure 72A	Figure 9.1.9.4	
Figure 72B	Figure 9.1.9.6	
9.1.10.3 Windows and door heads	9.1.10 Window and door heads, sills, and jambs	
9.1.10.3 [Paragraph text]	9.1.10.1	
Figure 71	Figure 9.1.10.1	
9.1.10.4 Head flashings	9.1.10.2	
9.1.10.5 Window and door sills	<Heading removed>	
9.1.10.5 a)	9.1.10.3	
9.1.10.5 b)	9.1.10.4	
9.1.10.5 c) [First paragraph]	9.1.10.5	
9.1.10.5 c) [Second paragraph]	9.1.10.6	Sill support bar italicised.
9.1.10.6 Window and door jambs	9.1.10.7	
9.1.10.7 [Second paragraph]	9.1.10.8	
9.1.10.7 Closed cell foam tape	9.1.9.9	Relocated to Subsection 9.1.9
9.1.10.8 Attachments for windows and doors	9.1.9.10	Relocated to subsection 9.1.9. Heading combined with text and formatted into a list.
9.2 Masonry veneer	9.2 Masonry veneer	
9.2.1 Limitations	9.2.1 Use and limitations	
9.2.1 [Paragraph text]	9.2.1.1	
9.2.2 General	9.2.2 Materials	

Information on the fourth edition

E2/AS1 Third edition	E2/AS1 Fourth edition	Comments on E2/AS1 Fourth Edition
9.2.2 1)	9.2.1.2	
9.2.2 2)	9.2.1.3	
9.2.2 3)	9.2.2.1	
9.2.2 (4)	9.2.2.2	
9.2.3 Installation	9.2.3 Installation	
9.2.3 [Paragraph text]	9.2.3.1	
9.2.3 [Note]	9.2.3.2	
Figure 73B	Figure 9.2.3.1	
9.2.4 Flashings	9.2.4 Flashings	
9.2.4 1)	9.2.4.1	
9.2.4 2)	9.2.4.2	
9.2.5 Foundation support and damp proofing	9.2.5 Foundation support and damp proofing	
9.2.5 1)	9.2.5.1	Changed to “concrete or masonry” instead of “of masonry” List updated to say and/or between entries.
9.2.5 2)	9.2.5.2	
9.2.5 3)	9.2.5.3	
9.2.5 4)	9.2.5.4	
9.2.5 5)	9.2.5.5	Rewritten to be more specific for the joints.
9.2.5 6)	9.2.5.6	Changed cross references to Figures 73D(i) and 73E(k) [Figure 9.2.5.6A and 9.2.5.6B].
Figure 73D	Figure 9.2.5.6A	
Figure 73E	Figure 9.2.5.6B	
9.2.6 Cavities	9.2.6 Cavities	
9.2.6 [First paragraph]	9.2.6.1	
9.2.6 a)	9.2.6.2	
9.2.6 b)	9.2.6.3	
9.2.6 c)	9.2.6.4	
9.2.6 d)	9.2.6.5	
9.2.6 e)	9.2.6.6	
9.2.6 f)	9.2.6.7	
9.2.7 Wall ties	9.2.7 Wall ties	
9.2.7 [First and second sentence]	9.2.7.1	

Information on the fourth edition

E2/AS1 Third edition	E2/AS1 Fourth edition	Comments on E2/AS1 Fourth Edition
9.2.7 [Third sentence]	9.2.7.2	
9.2.7.1 <no title>	9.2.7.3	Changed durability zone to exposure zone.
Table 18A	Table 9.2.7.1A	Table columns adjusted to fit the page and make the headings clear. Table notes re-ordered.
Table 18B	Table 9.2.7.1B	
Table 18C	Table 9.2.7.1C	
9.2.8 Control joints	9.2.8 Control joints	
9.2.8.1 Clay bricks	9.2.8.1	
9.2.8.2 Concrete bricks	9.2.8.2	
9.2.8.2 [Second paragraph]	9.2.8.3	Control joints italicised
9.2.8.2 [Third paragraph]	9.2.8.4	
Figure 73A	Figure 9.2.8.4	
9.2.9 Openings in masonry veneer	9.2.9 Openings in masonry veneer	
9.2.9 [First paragraph]	9.2.9.1	
9.2.9 [Second paragraph]	9.2.9.2	Flashing italicised
9.2.9 [Third paragraph]	9.2.9.3	Flashing italicised
9.2.9 [Fourth paragraph]	9.2.9.4	
Table 18D	Table 9.2.9.4A	
Table 18E 70 mm thick	Table 9.2.9.4B	Title changed and table split. Excess zeros removed from span of lintel (that is, 0.800 changed to 0.8)
Table 18E 90 mm thick	Table 9.2.9.4C	Title changed and table split. Excess zeros removed from span of lintel (that is, 0.800 changed to 0.8)
9.2.10 Windows and doors	9.2.10 Windows and doors	
9.2.10 [First paragraph]	9.2.10.1	
9.2.10 [Second paragraph]	9.2.10.2	
9.2.10 [Third paragraph]	9.2.10.3	
Figure 73C	Figure 9.2.10.3	Cross-reference to 9.2.4 removed. Cross-reference to 9.2.10.3 added.
9.2.11 Secondary cladding	9.2.11 Secondary cladding	
9.2.11 [Paragraph text]	9.2.11.1	
9.3 Stucco	9.3 Stucco	
9.3.1 Limitations	9.3.1 Use and limitations	

Information on the fourth edition

E2/AS1 Third edition	E2/AS1 Fourth edition	Comments on E2/AS1 Fourth Edition
9.3.1 [Paragraph text]	9.3.1.1	
Figure 74	Figure 9.3.1.1	
9.3.2 Structure	<Heading removed>	
9.3.2 [First paragraph]	9.3.1.2	
9.3.2 [Second paragraph]	9.3.1.3	
9.3.3 Stucco cladding system	9.3.1.4	
9.3.3.1 <no title>	9.3.1.5	
9.3.3.1 a)	9.3.1.5(a)	
9.3.3.1 b)	9.3.1.5(b)	Rewritten to be more specific.
9.3.3.2 <no title>	9.3.1.6	Rewritten as a sentence.
9.3.3.3 <no title>	9.3.1.7	Rewritten as a sentence.
	9.3.2 Materials	New heading added to align with other parts of E2/AS1.
9.3.4 Installation	9.3.3 Installation	
9.3.4.1 General	<Heading removed>	
9.3.4.1 [First paragraph]	9.3.3.1	
9.3.4.1 [Second paragraph]	9.3.2.1	Relocated to 9.3.2.
9.3.4.2 Movement control joints	9.3.3.2	
9.3.5 Non-rigid plaster backings	9.3.4 Non-rigid plaster backings	
9.3.5.1 Installation of wall underlays	9.3.4.1	Rewritten to be more specific.
9.3.6 Rigid plaster backings	9.3.5 Rigid plaster backings	
9.3.6 [First paragraph]	9.3.5.1	Re-ordered list to be (a), (i), (ii), (b) Cross-reference to 9.3.3 b) changed to 9.3.3.1(b) as 9.3.3 b) does not exist.
9.3.6 a)	9.3.5.1(a)(i)	
9.3.6 b)	9.3.5.1(a)(ii)	
9.3.6 [Second sentence]	9.3.5.1(b)	
9.3.6 [Third sentence]	9.3.5.2	
9.3.6.1 Plywood backing	9.3.5.3	
9.3.6.2 Fibre cement sheet backing	9.3.5.4	Revised to reference the Building Product Specifications for fibre cement sheet.
9.3.7 Finishes	9.3.6 Finishes	
9.3.7 [Paragraph text]	9.3.6.1	
9.3.8 Bottom of stucco	9.3.7 Bottom of stucco	

Information on the fourth edition

E2/AS1 Third edition	E2/AS1 Fourth edition	Comments on E2/AS1 Fourth Edition
9.3.8 [Paragraph text]	9.3.7.1	
Figure 75	Figure 9.3.7.1	
9.3.9 Parapets and enclosed balustrades	9.3.8 Parapets and enclosed balustrades	
9.3.9 [First paragraph]	9.3.8.1	
9.3.9 [Second paragraph]	9.3.8.2	
9.3.9 [Third paragraph]	9.3.8.3	
9.3.10 Windows and doors	9.3.9 Windows and doors	
9.3.10 [Paragraph text]	9.3.9.1	
Figure 76	Figure 9.3.9.1	
9.4 Timber weatherboards	9.4 Timber weatherboards	
	9.4.1 Use and limitations	
9.4 [First paragraph]	9.4.1.3	
9.4 [Second paragraph]	9.4.1.4	
9.4.1 Limitations	<Heading removed>	
9.4.1.1 Weatherboard profiles	9.4.1.1	
9.4.1.1 [Second paragraph]	9.4.1.2	
9.4.1.2 Vertical weatherboards	9.4.1.5	Rewritten sentence.
9.4.1.3 Horizontal weatherboards	9.4.1.6	
9.4.2 Materials	9.4.2 Materials	
9.4.2 a)	9.4.2.1	Rewritten into paragraph format.
9.4.2 b)	9.4.2.2	Rewritten into paragraph format.
9.4.3 Installation	9.4.3 Installation	
9.4.3 [Paragraph text]	9.4.3.1	Changed 'or' to 'and' to reflect the correct grammar of the paragraph.
9.4.3.1 Fixings	9.4.3.2	
9.4.3.1 [Second paragraph]	9.4.3.3	
9.4.4 Horizontal weatherboards	9.4.4 Horizontal weatherboards	
9.4.4.1 Horizontal laps	9.4.4.1	
9.4.4.2 Joints	9.4.4.2	
9.4.4.3 Fixings	9.4.4.3	
9.4.4.4 External corners	9.4.4.4	
Figure 77	Figure 9.4.4.4A	
Figure 78	Figure 9.4.4.4B	
9.4.4.5 Internal corners	9.4.4.5	
Figure 79	Figure 9.4.4.5	

Information on the fourth edition

E2/AS1 Third edition	E2/AS1 Fourth edition	Comments on E2/AS1 Fourth Edition
9.4.5 Vertical weatherboards	9.4.5 Vertical weatherboards	
9.4.5 [Paragraph text]	9.4.5.1	
9.4.5.1 Laps a)	9.4.5.2	
9.4.5.1 Laps b)	9.4.5.3	
9.4.5.2 Fixings	9.4.5.4	
9.4.5.3 Corners a)	9.4.5.5	
Figure 80	Figure 9.4.5.5	
9.4.5.3 Corners b)	9.4.5.6	
9.4.6 Windows and doors in direct fixed weatherboards	9.4.6 Windows and doors in direct fixed weatherboards	
9.4.6 [First paragraph]	9.4.6.1	
9.4.6 [Second paragraph]	9.4.6.2	
Figure 81	Figure 9.4.6.1A	
Figure 82	Figure 9.4.6.1B	
Figure 83	Figure 9.4.6.1C	
Figure 84	Figure 9.4.6.1D	
9.4.7 Windows and doors in cavity walls	9.4.7 Windows and doors in cavity walls	
9.4.7 [First paragraph]	9.4.7.1	
9.4.7 [Second paragraph]	9.4.7.2	
9.4.7 [Third paragraph]	9.4.7.3	
Figure 85	Figure 9.4.7.1	
Figure 86	Figure 9.4.7.2	
9.4.8 Parapets and enclosed balustrades	9.4.8 Parapets and enclosed balustrades	
9.4.8 [First paragraph]	9.4.8.1	
9.4.8 [Second paragraph]	9.4.8.2	
9.4.9 Finishes	9.4.9 Finishes	
9.4.9 [First paragraph]	9.4.9.1	
9.4.9 [Second paragraph]	9.4.9.2	Italics removed from durability.
9.5 Fibre cement weatherboards	9.5 Fibre cement weatherboards	
9.5 [First paragraph]	9.5.1.2	
9.5 [Second paragraph]	9.5.1.3	
9.5.1 Limitations	9.5.1 Use and limitations	
9.5.1 [Paragraph text]	9.5.1.1	
9.5.2 Material performance	9.5.2 Materials	

Information on the fourth edition

E2/AS1 Third edition	E2/AS1 Fourth edition	Comments on E2/AS1 Fourth Edition
9.5.2 [Paragraph text]	9.5.2.1	Revised to reference the Building Product Specifications for fibre cement weatherboards.
9.5.3 Installation	9.5.3 Installation	
9.5.3 [Paragraph text]	9.5.3.1	
9.5.3.1 Fixings	9.5.3.2	
9.5.3.2 Laps and joints	9.5.3.3	
9.5.3.2 [Second paragraph]	9.5.3.4	
9.5.3.2 c)	9.5.3.5	
Figure 87	Figure 9.5.3.5	
9.5.3.3 External corners	9.5.3.6	9.5.3.6(b) rewritten.
Figure 88	Figure 9.5.3.6	
9.5.3.4 Internal corners	9.5.3.7	
Figure 89	Figure 9.5.3.7	
9.5.4 Windows and doors	9.5.4 Windows and doors	
9.5.4 [Paragraph text]	9.5.4.1	
9.5.4.1 Windows and doors - direct fixed	9.5.4.2	
Figure 90	Figure 9.5.4.2	
9.5.4.2 Windows - on cavity	9.5.4.3	
Figure 91	Figure 9.5.4.3	
9.5.5 Parapets and enclosed balustrades	9.5.5 Parapets and enclosed balustrades	
9.5.5 [First paragraph]	9.5.5.1	
9.5.5 [Second paragraph]	9.5.5.2	
9.5.6 Protective coating	9.5.6 Protective coating	
9.5.6 [Paragraph text]	9.5.6.1	
9.6 Profiled metal wall cladding	9.6 Profiled metal wall cladding	
9.6 [First paragraph]	9.6.1.2	
[9.6 Second paragraph]	9.6.1.3	
9.6.1 Limitations	9.6.1 Use and limitations	
9.6.1 [Paragraph text]	9.6.1.1	
9.6.2 General	<Heading removed>	
9.6.3 Materials	9.6.2 Materials	
9.6.3.1 Choice of metal	9.6.2.1	Italics removed from durability.
9.6.3.2 Steel	9.6.2.2	
9.6.3.3 Aluminium	9.6.2.3	

Information on the fourth edition

E2/AS1 Third edition	E2/AS1 Fourth edition	Comments on E2/AS1 Fourth Edition
9.6.3.3 [Second paragraph]	9.6.2.4	
9.6.4 Maintenance	<Heading and text removed>	
9.6.5 Profiles	9.6.3 Profiles	
9.6.5 [First paragraph]	9.6.3.1	
9.6.5 [Second paragraph]	9.6.3.2	
9.6.6 Fixing	9.6.4 Fixings	
9.6.6 [Paragraph text]	9.6.4.1	Revised to replace “where applicable”.
9.6.7 Flashings	9.6.5 Flashings	
9.6.7 [First paragraph]	9.6.5.1	
9.6.7 a)	9.6.5.2	
9.6.7 b)	9.6.5.3	
9.6.7 c)	9.6.5.4	
9.6.7 d)	9.6.5.5	
9.6.7 e)	9.6.5.6	
9.6.8 Vertical profile - direct fixed	9.6.6 Vertical profile - direct fixed	
9.6.8.1 Installation	9.6.6.1	
9.6.8.1 [Second paragraph]	9.6.6.2	
9.6.8.2 Barges	9.6.6.3	
Figure 92	Figure 9.6.6.3	
9.6.8.3 Bottom of cladding	9.6.6.4	
Figure 93	Figure 9.6.6.4	
9.6.8.4 Corners	9.6.6.5	
Figure 94	Figure 9.6.6.5	
9.6.8.5 Vertical profile: penetrations	9.6.6.6	
9.6.8.5 [Second sentence]	9.6.6.7	
9.6.8.6 Vertical profile: windows and doors	9.6.6.8	
Figure 95	Figure 9.6.6.8	
	9.6.6.9	New paragraph for parapets and enclosed balustrades to reference the applicable requirements for vertical profiled metal in Figure 9.6.6.9.
9.6.9 Horizontal profiled metal on cavity	9.6.7 Horizontal profiled metal on cavity	
9.6.9.1 Installation	9.6.7.1	

Information on the fourth edition

E2/AS1 Third edition	E2/AS1 Fourth edition	Comments on E2/AS1 Fourth Edition
9.6.9.2 Cavity battens	9.6.7.2	
9.6.9.3 Corners	9.6.7.3	
9.6.9.3 [Second paragraph]	9.6.7.4	Added “At corners”
Figure 96	Figure 9.6.7.3	
9.6.9.4 Barges	9.6.7.5	
Figure 97	Figure 9.6.7.5	
9.6.9.5 Bottom of cladding	9.6.7.6	
Figure 98	Figure 9.6.7.6	
9.6.9.6 Horizontal profile: penetrations	9.6.7.7	
9.6.9.6 [Second paragraph]	9.6.7.8	
9.6.9.7 Horizontal profile: windows and doors	9.6.7.9	
Figure 99	Figure 9.6.7.9A	
Figure 100	Figure 9.6.7.9B	
9.6.9.8 Parapets and balustrades	9.6.7.10	Heading combined with text and re-formatted into a list.
Figure 101	Figure 9.6.6.9	
Figure 102	Figure 9.6.7.10	
9.7 Fibre cement sheet	9.7 Fibre cement sheet	
9.7 [Paragraph text]	9.7.1.2	
9.7.1 Limitations	9.7.1 Use and limitations	
	9.7.1.1	New paragraph to introduce the section.
9.7.1 [Paragraph text]	9.7.1.3	Rewritten into paragraph format as requirements.
9.7.2 Material and installation - both systems	9.7.2 Materials	
9.7.2 [Paragraph text]	9.7.2.1	Amended to reference the Building Product Specifications.
9.7.2.1 Installation	9.7.3 Installation	
9.7.2.1 [Paragraph text]	9.7.3.1	
9.7.3 Jointed systems	9.7.4 Jointed systems	
9.7.3 [First paragraph]	9.7.4.1	9.7.4.1(c) and (d) redrafted to simplify the list.
9.7.3 [Second paragraph]	9.7.4.2	
9.7.3 [Third paragraph]	9.7.4.3	
Figure 104A	Figure 9.7.4.1A	

Information on the fourth edition

E2/AS1 Third edition	E2/AS1 Fourth edition	Comments on E2/AS1 Fourth Edition
Figure 104B	Figure 9.7.4.1B	
Figure 105	Figure 9.7.4.1C	
Figure 107	Figure 9.7.4.1D	
Figure 108	Figure 9.7.4.1E	
9.7.3.1 Paint finish	9.7.4.4	
9.7.4 Flush-finished systems	9.7.5 Flush-finished systems	
9.7.4 [First paragraph]	9.7.5.1	
9.7.4 a)	9.7.5.2	
9.7.4 b)	9.7.5.3	
Figure 110	Figure 9.7.5.3	
9.7.4 c)	9.7.5.4	
Figure 113	Figure 9.7.5.4	
9.7.4 d)	9.7.5.5	
9.7.4.1 Control joints	9.7.5.6	
Table 19	Table 9.7.5.6	
Figure 111	Figure 9.7.5.6	
	9.7.5.7	New paragraph for horizontal control joints to refer to values in Table 9.7.5.6.
9.7.4.2 Finishes	9.7.5.8	
9.7.5 Soffit details	9.7.6 Soffits	
9.7.5 [Paragraph text]	9.7.6.1	
Figure 114	Figure 9.7.6.1	
9.7.6 Windows and doors	9.7.7 Windows and doors	
9.7.6 [Paragraph text]	9.7.7.1	
Figure 115	Figure 9.7.7.1A	
Figure 116	Figure 9.7.7.1B	
9.7.7 Parapets and enclosed balustrades	9.7.8 Parapets and enclosed balustrades	
9.7.7 [First paragraph]	9.7.8.1	
9.7.7 [Second paragraph]	9.7.8.2	
9.7.7 [Third paragraph]	9.7.8.3	
9.7.7.1 Flush-finished topped balustrades	9.7.8.4	
Figure 117	Figure 9.7.8.4	
9.7.8 Decorative attachments	9.7.9 Decorative attachments	
9.7.8 [First paragraph]	9.7.9.1	

Information on the fourth edition

E2/AS1 Third edition	E2/AS1 Fourth edition	Comments on E2/AS1 Fourth Edition
9.7.8 [Second paragraph]	9.7.9.2	
9.8 Plywood sheet	9.8 Plywood sheet	
	9.8.1 Use and limitations	New heading
	9.8.1.1	New paragraph to introduce the section.
9.8 [First paragraph]	9.8.1.3	
9.8 [Second paragraph]	9.8.1.4	
9.8.1 Limitations	9.8.1.2	Rewritten into paragraph format as requirements.
9.8.2 Materials	9.8.2 Materials	
9.8.2 [First paragraph]	9.8.2.1	
9.8.2 [Second paragraph]	9.8.2.2	
Figure 119	Figure 9.8.2.1	
9.8.3 Installation	9.8.3 Installation	Comment box removed.
9.8.3 [Paragraph text]	9.8.3.1	
9.8.3.1 Fixings	9.8.3.2	
9.8.3.2 Joints	9.8.3.3	
Figure 121	Figure 9.8.3.3	
9.8.4 Corners	9.8.4 Corners	
9.8.4.1 External corners	9.8.4.1	
Figure 122	Figure 9.8.4.1	
9.8.4.2 Internal corners	9.8.4.2	
Figure 123	Figure 9.8.4.1	
9.8.5 Flashing material	9.8.5 Flashings	
9.8.5 Flashing material	9.8.5.1	
9.8.5 [Paragraph text]	9.8.6 Soffits	
9.8.6 Soffit details	9.8.6.1	
9.8.7 Parapets and enclosed balustrades	9.8.7 Parapets and enclosed balustrades	
9.8.7 [First sentence]	9.8.7.1	
9.8.7 [Second sentence]	9.8.7.2	
9.8.7 a)	9.8.7.3	
9.8.7 b)	9.8.7.4	
9.8.8 Windows and doors	9.8.8 Windows and doors	
9.8.8 [Paragraph text]	9.8.8.1	
9.8.8.1 Windows and doors: direct fixed	9.8.8.2	

Information on the fourth edition

E2/AS1 Third edition	E2/AS1 Fourth edition	Comments on E2/AS1 Fourth Edition
9.8.8.2 Windows and doors: with cavity	9.8.8.3	
9.8.9 Finishes	9.8.9 Finishes	
9.8.9 [First paragraph]	9.8.9.1	Italics removed from durability.
9.8.9 [Second paragraph]	9.8.9.2	
9.9 EIFS	9.9 EIFS	
	9.9.1 Use and limitations	
9.9 [First paragraph]	9.9.1.1	
9.9 [Second paragraph]	9.9.1.3	
9.9.1 Limitations	9.9.1.2	
9.9.2 General	<Heading removed>	
9.9.3 Materials	9.9.2 Materials	
9.9.3 [Paragraph text]	9.9.2.1	
9.9.3.1 Polystyrene sheet	9.9.2.2	
9.9.3.2 Fibreglass reinforcing mesh	9.9.2.3	
9.9.4 Installation	9.9.3 Installation	
9.9.4 [Paragraph text]	9.9.3.1	
9.9.4.1 Fixings	9.9.3.2	Amended to reference the Building Product Specifications for EIFS.
9.9.4.2 Joints	9.9.3.3	
9.9.4.3 Movement control joints	9.9.3.4	Comment box moved below list.
Figure 124	Figure 9.9.3.4	In detail (b), PVC revised to uPVC for consistency in the text.
9.9.4.4 Fixing blocks	9.9.3.5	
9.9.4.4 [Last paragraph]	9.9.3.6	
9.9.5 Battens	9.9.4 Battens	
9.9.5 [Paragraph text]	9.9.4.1	
9.9.6 Coating	9.9.5 Coating	
9.9.6 [Paragraph text]	9.9.5.1	Amended to reference the Building Product Specifications for EIFS.
9.9.6.1 Reinforcing	9.9.5.2	
9.9.6.2 Reinforcing base coat	9.9.5.3	
9.9.6.3 Finish coats	9.9.5.4	
9.9.6.3 [Second paragraph]	9.9.5.5	
9.9.6.3 [Third paragraph]	9.9.5.6	

Information on the fourth edition

E2/AS1 Third edition	E2/AS1 Fourth edition	Comments on E2/AS1 Fourth Edition
9.9.6.4 Decorative mouldings	9.9.5.7	
9.9.6.4 [Second paragraph]	9.9.5.8	
9.9.7 EIFS/floor slab junction	9.9.6 EIFS/floor slab junctions	
9.9.7 [Paragraph text]	9.9.6.1	
Figure 125	Figure 9.9.6.1	
9.9.8 Pipes and service penetrations	9.9.7 Pipes and service penetrations	
9.9.8 [First paragraph] a) b)	9.9.7.1	Revised “flange” to “a sleeve or conduit”. Removed reference to Figure 69.
9.8.8 [First paragraph] c)	9.9.7.2	
9.9.8 [Second paragraph]	9.9.7.3	
Figure 126	Figure 9.9.7.1	
9.9.9 Windows and doors	9.9.8 Windows and doors	
9.9.9 [First paragraph]	9.9.8.1	
9.9.9 [Second paragraph]	9.9.8.2	
Figure 127	Figure 9.9.8.1A	
Figure 128	Figure 9.9.8.1B	For consistency within terms used in the document, “P.V.C.” revised to “uPVC”, “flexible tape flashing” revised to “flexible flashing tape”. New note added to refer for wrapping of a framed opening.
9.9.10 Parapets and enclosed balustrades	9.9.9 Parapets and enclosed balustrades	
9.9.10 [First paragraph]	9.9.9.1	
9.9.10 [Second paragraph]	9.9.9.2	
9.9.10.1 Flush-finished balustrade top	9.9.9.3	
Figure 129	Figure 9.9.9.3	Cross reference in note revised to remove reference to Figure 13.
9.9.10.2 Metal cappings	9.9.9.4	
9.9.10.2 [Second paragraph]	9.9.9.5	
Figure 130	Figure 9.9.9.4	
10.0 Construction moisture	Part 10. Construction moisture	
	10.1 Managing construction moisture	New heading

Information on the fourth edition

E2/AS1 Third edition	E2/AS1 Fourth edition	Comments on E2/AS1 Fourth Edition
10.1 Moisture in materials	10.1.1 Moisture in materials	
10.1 [First paragraph]	10.1.1.1	
10.1 [Second paragraph]	10.1.1.2	
10.2 Maximum acceptable moisture contents	10.1.2 Maximum acceptable moisture contents	
10.2 [First paragraph]	10.1.2.1	
10.3 Measuring moisture content	10.2 Measuring moisture content	
10.3.1 Timber	10.2.1 Timber	
10.3.1 [First paragraph]	10.2.1.1	Corrected the name of the Scion publication.
10.3.2 Concrete floors	10.2.2 Concrete floors	
10.3.2 [First paragraph]	10.2.2.1	Correct format of reference to ASTM E104.
References	Appendix A. References	Relocated to Appendix A.
Reference entries for NZS 4211:2008 EIMA 101.91:1992 ASTM E2098-00 ASTM E2134-01	<Removed from document>	Removed from the document and replaced with reference to the Building Product Specifications.
Reference entry for AS 3730.6	<Removed from document>	Part 6 is not referenced in E2/AS1.
Reference entry for NZS 4217:1980	Reference entry for NZS 4217:1980	NZS 4217:1980 referenced as a single document. It is not published in parts.
References entry for BRANZ Bulletin 411	References entry for BRANZ Bulletin 411	BRANZ Bulletin 411 moved below BRANZ Bulletin 330
References entry for ICBO AC148	References entry for ICBO AC148	Corrected the name of the reference.
Reference entry for SCION	Reference entry for SCION	Corrected the name of the Scion publication.
	Reference entries for AS/NZS 2699.1:2000, AS/NZS 26.99.3:2002, and NZS 4210:2001	Added references which appear in E2/AS1 but were omitted from the reference page.
	Reference entry for ASTM C1330-02	Added reference to C1330 which is referred to in comment boxes. Applicable version is 2002 as per previous versions of E2/AS1.
Definitions	Appendix B. Definitions	Relocated to Appendix B.

Information on the fourth edition

E2/AS1 Third edition	E2/AS1 Fourth edition	Comments on E2/AS1 Fourth Edition
Definition entries	Add entries for access route, building, building consent authority, building element, chimney, construction, fire, fire stop, vapour barrier	Added definitions that are used in the document but not included in the definitions.
Definition entry Apron flashing	Definition entry Apron flashing	Italicise roof and wall.
Definition entries for: Butt flashing, Cavity spacer, Cladding system	Definition entries for: Butt flashing, Cavity spacer, Cladding system	Rewritten so it is not self-referential.
Definition entry Damp-proof membrane	Definition entry Damp-proof membrane	Last sentence re-written into sentence format.
Definition entry Deck	Definition entry Deck	Rewritten so it is not self-referential. Exterior wall replaced with 'external wall'. Last sentence rewritten into sentence format.
Definition entries	Definition entry Eaves, EPDM, Masonry tiles, Membrane, Parallel flashing, Purlin, Rafter, transverse flashing, Valley gutter	Roof italicised
Definition entry Hidden gutter	Definition entry Hidden gutter	Rewritten so it is not self-referential. Italicised roof.
Definition entry NZBC	Removed	Weatherproof italicised
Definition entry Hidden gutter	Definition entry Saddle flashing	Rewritten so it is not self-referential. Italicise roof.
Definition entry wetwall	Removed	Not used in E2/AS1
	Appendix C. Material tables	New appendix to include the tables previously at the end of E2/AS1.
	C.1 Materials	New heading
	C.1.1 Material selection	New heading
	C.1.1.1	Paragraph to introduce the tables based on text previously in Table 20.
	C.1.1.2	New paragraph based on text previously in in Table 20.
Table 20 Material selection	Table C.1.1.1A	Text in the heading relocated to paragraphs C1.1.1 and C.1.1.2 Changes to notes 3, 4, and 9. Reference to 'cl. 8.3.4.2' in the table revised to Paragraph 8.3.2.3.

Information on the fourth edition

E2/AS1 Third edition	E2/AS1 Fourth edition	Comments on E2/AS1 Fourth Edition
Table 21 Compatibility of materials in contact	Table C.1.1.1B	
Table 22 Compatibility of materials subject to run-off	Table C.1.1.1C	
	C.2 Underlays and membranes	New heading
	C.2.1 Roof underlays, wall underlays, and DPC/DPM	New heading
	C.2.1.1	New paragraph to introduce the table.
Table 23 Properties of roof underlays and wall underlays	Table C.2.1.1 Properties of roof underlays, wall underlays, and DPC/DPM	Shrinkage revised to Moisture shrinkage. NZS 2295: 2006 changed to just NZS 2295 Note 2: Added reference to paragraph on the use of roof underlays.
	C.3 Fixing selection	New heading
	C.3.1 Wall claddings	New heading
	C.3.1.1	New paragraph to introduce the table.
	C3.1.2	New paragraph based on text in table.
	C3.1.3	New paragraph based on text in table.
	C3.1.4	New paragraph based on text in table.
Table 24 Fixing selection for wall claddings	Table C.3.1.1	Revised 'climate zones' to 'exposure zones'. Replaced entry for stucco with cross references to fixings.

CONTACT DETAILS PO Box 1473, Wellington 6140 | T 0800 242 243 | E info@building.govt.nz

For more information, visit building.govt.nz

ISBN (online) 978-1-991409-26-3

© Ministry of Business, Innovation and Employment 2025. You may use and reproduce this document for your personal use or for the purposes of your business provided you reproduce the document accurately and not in an inappropriate or misleading context. You may not distribute this document to others or reproduce it for sale or profit.

The Ministry of Business, Innovation and Employment owns or has licences to use all images and trademarks in this document. You must not use or reproduce images and trademarks featured in this document for any purpose (except as part of an accurate reproduction of this document) unless you first obtain the written permission of the Ministry of Business, Innovation and Employment.