

Note:

Notice #: RN-10037



**MINISTRY OF BUSINESS,
INNOVATION & EMPLOYMENT**
HĪKINA WHAKATUTUKI

This legislation is administered by the Ministry of Business, Innovation and Employment (MBIE). For more information please see:

Website: <http://www.building.govt.nz>

Contact phone: [0800 24 22 43](tel:0800242243)

Contact address: 15 Stout Street, Wellington, New Zealand 6011

Building (Product Recognition WaterMark Valves for the Control of Heated Water Supply Temperatures) Notice 2026: RN-10037

This notice is made under section 272HA of the Building Act 2004 by Simon Thomas, Head of Building System Delivery and Assurance at the Ministry of Business, Innovation and Employment (MBIE), under the delegated authority of MBIE's Chief Executive.

This notice recognises building products specified in the product certificates in Schedule 1 of this notice, which are certified under the WaterMark certification scheme in Australia.

Contents

	Page
1 Title	2
2 Commencement	2
3 Interpretation	2
4 Recognition of the following certified WaterMark products	2
5 Certified intended use of building product	2
6 Conditions and limitations of this notice	3

Building (Product Recognition WaterMark Valves for the Control of Heated Water Supply Temperatures) Notice 2026: RN-10037

1 Title

This is the Building (Product Recognition WaterMark Valves for the Control of Heated Water Supply Temperatures) Notice 2026: RN-10037.

2 Commencement

This notice comes into force on 9 February 2026.

3 Interpretation

In this notice of recognition, unless the context otherwise requires,—

Act means the Building Act 2004

Building Code means the New Zealand Building Code, which is Schedule 1 of the Building Regulations 1992, made under section 400 of the Act.

Certified intended use means the intended use of the building product certified by the certification body and as described in either the product certificate, building product's manual, or other relevant materials.

Conformity assessment body (CAB) means an organisation that certifies activities to demonstrate that a product, process, system, person, or body meets specified requirements for the WaterMark certification scheme.

Product type means a plumbing or drainage product that presents a public risk requiring mitigation, as determined by the Protocol for the Assessment of Risks of Plumbing Product under the WaterMark scheme. It is regulated under the Plumbing Code of Australia and listed in the WaterMark Schedule of Products.

4 Recognition of the following certified WaterMark products

Under section 272HA of the Act, I recognise the building products certified under the overseas product certification scheme, WaterMark, that are included in the product certificates listed in Schedule 1 of this notice.

5 Certified intended use of building product

The certified intended use of the product types listed in Schedule 1 of this notice are the product scope/applications of the product type categories under the WaterMark certification scheme, known as the WaterMark Schedule of Products – Tapware.

Thermostatically controlled taps: Thermostatic mixing taps used for ablutionary purposes for use with heated water:

- a) at a supply temperature not exceeding 90°C;
- b) with working pressures not exceeding 1400 kPa; and
- c) of nominal sizes not larger than DN 20.

*** Lead free exceptions: bidet tapware; shower mixers, shower bath diverter mixers, floor standing bath filler and included mixers & showers, bath outlets – unrestricted flow, commercial pre-rinse spray tapware (not to apply to included pot fillers) are excluded from the lead-free requirements.

6 Conditions and limitations of this notice

The conditions and limitations of this recognition notice are set out in Schedule 1.

Building Act 2004, section 272HA

Schedule 1

List of WaterMark certificates with recognised building products

Standard	Standard title	AS/NZS 3500 series link	Equivalent acceptable solution or verification method	Building Code performance clauses
AS 4032.4:2014	Water supply – Valves for the control of heated water supply temperatures, Part 4: Thermostatically controlled taps for the control of heated water supply temperatures	N/A	B2/AS1, G12/AS1	B2.3.1(c), F2.3.1, G12.3.2(c), G12.3.3

Conditions and limitations of recognition

The building products recognised by this notice must be installed according to the conditions and limitations specified in the product certificate for the relevant building product, as set out in Schedule 1 of this notice.

Where applicable copper alloy products such as tapware to be used in contact with drinking water certified under this standard will need to meet the lead-free requirements, as outlined in G12/AS1, from 1 May 2026. To be compliant the submitter must provide a valid lead-free test certificate from an IANZ-accredited body or equivalent to NSF/ANSI/CAN 372:2020. This must be provided with the building consent application for it to be accepted as establishing compliance with the Building Code.

So long as the user complies with the requirements in the product certificate (if any), the standard it is certified against (if any), and the relevant technical installation information from the manufacturer, the building products listed comply with the relevant clauses listed in this table.

The *Additional conditions and limitations* in this schedule are additional requirements imposed by the Ministry of Business, Innovation and Employment.

The certified intended uses of the building products in this table are laid out in the WaterMark Schedule of Products – Tapware, listed in clause 5 of this notice.

Certificates recognised as meeting AS 4032.4:2014

	Conformity assessment body	Certificate number	Expiry date	Additional conditions and limitations
1.	IAPMO Oceania Pty. Ltd.	WM-032120	31/08/2028	Limitation of temperature adjustment 45°C.
2.	IAPMO Oceania Pty. Ltd.	WM-032241	16/01/2029	Limitation of temperature adjustment 43°C.
3.	IAPMO Oceania Pty. Ltd.	WM-032381	30/03/2030	Limitation of temperature adjustment 45°C.
4.	Intertek SAI Global Certification Services Pty Ltd	WMK26033	31/07/2027	
5.	SAI Global Intertek SAI Global Certification Services Pty Ltd	WMK26138	02/08/2027	
6.	SAI Global Intertek SAI Global Certification Services Pty Ltd	WMK26224	31/07/2027	
7.	SAI Global Intertek SAI	WMK26326	17/05/2028	

	Global Certification Services Pty Ltd			
8.	SAI Global Intertek SAI Global Certification Services Pty Ltd	WMK26383	22/04/2026	
9.	SAI Global Intertek SAI Global Certification Services Pty Ltd	WMK26430	29/11/2028	
10.	SAI Global Intertek SAI Global Certification Services Pty Ltd	WMK26655	29/11/2026	
11.	SAI Global Intertek SAI Global Certification Services Pty Ltd	WMK26718	10/10/2027	
12.	Pro-Switch Pty Ltd	PRO 26430	29/11/2028	Limitation of temperature adjustment 45°C.

Made at Wellington on 14 January 2026.

Simon Thomas
Head of Building System Delivery and Assurance at the Ministry of Business, Innovation and Employment (MBIE), under the delegated authority of MBIE's Chief Executive

Explanatory note

This notice, which comes into force on 9 February 2026, is made under section 272HA of the Building Act 2004 (the Act).

This notice recognises the building products specified in the notice, which are certified under the WaterMark certification scheme in Australia.

This notice may form part of a building consent application.

This is secondary legislation issued under the authority of the Legislation Act 2019 .	
Title	Building (Product Recognition WaterMark Valves for the Control of Heated Water Supply Temperatures) Notice 2025: RN-10037
Principal or amendment	Principal
Consolidated version	No
Empowering Act and provisions	<p>Building Act 2004</p> <p><i>Section 272HA Recognition of building products or building methods certified under overseas product certification scheme</i></p> <p>(1) The chief executive may, by notice, recognise 1 or more, or 1 or more groups of, building products or building methods that are certified under an overseas product certification scheme.</p> <p>(2) Subsection (1) applies only if the chief executive is satisfied that—</p> <ul style="list-style-type: none">(a) the building products or building methods meet any criteria prescribed for the purposes of this paragraph; and(b) the overseas product certification scheme meets any criteria prescribed for the purposes of this paragraph. <p>(3) A person who uses building products or building methods that are (or are in a group that is) recognised under subsection (1) must, for the purposes of this Act, be treated as having complied with all provisions of the building code that are relevant to the intended use.</p> <p>(4) Subsection (3) applies only to the extent that the person complies with any limitations or conditions of the recognition that are set out in the notice.</p> <p>(5) A notice under subsection (1) is secondary legislation (see Part 3 of the Legislation Act 2019 for publication requirements).</p>
Replacement empowering Act and provisions	Not applicable
Maker name	Simon Thomas, Head of Building System Delivery and Assurance at the Ministry of Business, Innovation and Employment (MBIE), under the delegated authority of MBIE's Chief Executive
Administering agency	Ministry of Business, Innovation and Employment (MBIE)
Date made	14 January 2026
Publication date	9 February 2026
Notification date	26 January 2026
Commencement date	9 February 2026
End date (when applicable)	Not applicable
Consolidation as at date	Not applicable
Related instruments	Not applicable