



Department of
Building and Housing
Te Tari Kaupapa Whare

MultiProof Certificate

This is to certify that a National Multiple-Use Approval has been issued to:

Polybreeze International Limited

Breezepod
5x8 Bungalow with concrete slab

under Section 30F of the Building Act 2004 in respect of the approved plans and specifications* and subject to the conditions** specified:

Details of this National Multiple-Use Approval have been entered in the register of National Multiple-Use Approvals in accordance with Section 273 of the Building Act 2004.

Dave Kelly
Deputy Chief Executive Building Quality
Department of Building and Housing

14 January 2011

Date Issued

A1005

Certificate Number

*The approved plans and specifications are those held by the Department

**See Schedule for specific drawing references, permitted variations and conditions of approval.

Note: The National Multiple-Use Approval referred to in this certificate is subject to change, suspension or revocation. Check the Department's website www.dbh.govt.nz for the current status of this National Multiple-Use Approval.

Schedule for certificate number A1005

Permitted Variations:

Foundation:

Foundation design is specific to each floor plan. Concrete slab can be replaced by Firth Ribraft floor system

Floor Plan:

5x8 Bungalow can be replaced by Serviced Round House, 5x12 Bungalow or 9m Star House

Roof Design:

Roof design is specific to each floor plan

Cladding Design:

None

Building Design Reference to Drawings

Reference	Building Name	Drawing Description	Reference	Building Name
Floor plan [5.0.1]	Serviced Round House	Floor plan	[5.12.1]	5m x 12m Bungalow
Sections [5.0.2]		Sections	[5.12.2]	
Foundation & plumbing design [5.0.3]		Foundation & plumbing plan	[5.12.3]	
Rib raft foundation [5.0.3A]		Rib raft foundation	[5.12.3A]	
Roof plan [5.0.4]		Roof plan	[5.12.4]	
Elevations [5.0.5]		Elevations	[5.12.5]	
Lighting & electrical plan [5.0.6]		Lighting & electrical plan	[5.12.6]	
Window panel details [5.0.7]		Window panel details & schedule	[5.12.7]	
Door panel details & door schedule [5.0.8]		Door panel details & door schedule	[5.12.8]	
Wall panel details [5.0.9, 5.0.12]		Wall panel details	[5.12.9, 5.12.12]	
Window & door details [5.0.10]		Window & door details	[5.12.10]	
Skylight details [5.0.11]		Skylight details	[5.12.11]	
Shower & footing details [5.0.13]		Shower & footing details	[5.12.13]	
Hot water cylinder [5.0.14]		Hot water cylinder	[5.12.14]	
Floor Plan [5.8.1]	5m x 8m Bungalow	Floor plan	[9.0.1]	9m Star House
Sections [5.8.2]		Sections	[9.0.2]	
Foundation & plumbing plan [5.8.3]		Foundation & plumbing plan	[9.0.3]	
Rib raft foundation [5.8.3A]		Rib raft foundation	[9.0.3A]	
Roof plan [5.8.4]		Roof plan	[9.0.4]	
Elevations [5.8.5]		Elevations	[9.0.5]	
Lighting & electrical plan [5.8.6]		Lighting & electrical	[9.0.6]	
Window panel details [5.8.7]		Window panel detail & schedule	[9.0.7]	
Door panel details & door schedule [5.8.8]		Door panel details & door schedule	[9.0.8]	
Wall panel details [5.8.9, 5.8.12]		Wall panel details	[9.0.9, 9.0.14]	
Window & door details [5.8.10]		Top panel details	[9.0.10]	
Skylight details [5.8.11]		Skylight details	[9.0.11]	
Shower & footing details [5.8.13]		Window & door fixing details	[9.0.12]	
Hot water cylinder [5.8.14]		Shower & footing details	[9.0.13]	
	Hot water cylinder	[9.0.15]		

Certificate Holder

Polybreeze International Limited
1 Koheroa Road, Mercer, Waikato
Company number: 1989290
Certificate number: A1005

Issued by

Department of Building and Housing
PO Box 10 279, Wellington
Website: www.dbh.govt.nz
Email: multiproof@dbh.govt.nz
Date issued: 14 January 2011

This National Multiple-Use Approval is subject to the following conditions:

1. Subject to the Permitted Variations, this National Multiple-Use Approval may only be used in its entirety, and does not apply to any one part of the plans and specifications.
2. This National Multiple-Use Approval includes the Permitted Variations set out in this Schedule. If there are any changes to the approved plans and specifications this National Multiple-Use Approval does not apply.
3. More than one Permitted Variation may be used.
4. This National Multiple-Use Approval can only be used where the following conditions apply:
 - a. Seismic zones: Suitable for all subsoil classes, A to E, in accordance with B1/VM1 (AS/NZS 1170.5:2004)
 - b. Snow Loading: Design snow load of 2.7kPa in accordance with AS/NZS 1170.3:2003 as modified by B1/VM1
 - c. Wind zones: Up to and including ULS site wind speed of 50m/s in accordance with AS/NZS 1170.2 2002
 - d. Climate zones: 1,2 and 3
 - e. Ground bearing capacity: Based on a foundation ultimate bearing capacity of 300kPa (good ground in accordance with NZS 3604)
 - f. Corrosion zone: Up to and including geothermal areas except concrete work shall be specific engineering design