



Department of
Building and Housing
Te Tari Kaupapa Whare

MultiProof Certificate

This is to certify that a National Multiple-Use Approval has been issued to:

Jennian Homes Ltd

2 bedroom single storey dwelling

Driven timber pile foundation with Shadowclad plywood cladding and corrugated Colorsteel roofing

under Section 30F of the Building Act 2004 in respect of the approved plans and specifications* and subject to the conditions** specified:

Details of this National Multiple-Use Approval have been entered in the register of National Multiple-Use Approvals in accordance with Section 273 of the Building Act 2004.

David Kelly
Deputy Chief Executive
Department of Building and Housing

19 May 2011

Date Issued

A1006

Certificate Number

*The approved plans and specifications are those held by the Department

**See Schedule for specific drawing references, permitted variations and conditions of approval.

Note: The National Multiple-Use Approval referred to in this certificate is subject to change, suspension or revocation. Check the Department's website www.dbh.govt.nz for the current status of this National Multiple-Use Approval.

Schedule for certificate number A1006

Permitted Variations:

Foundation Design:
No variation

Floor Plan:
No variation

Roof Design:
Corrugated Colorsteel can be replaced by Gerard metal tile (Colortile)

Cladding Design:
No variation

Building Design Reference to Drawings

Title page	01/16
Drainage plan	02/16
Floor and Foundation Plan	03/16
Elevations	04/16
Bracing and electrical	05/16
Cross section A-A	06/16
Details	07/16
Details	08/16
Details	09/16
Details	10/16
Details	11/16
Details	12/16
Details	13/16
Details	14/16
Details	15/16
Renders	16/16

Certificate Holder

Jennian Homes Ltd
21 Birmingham Drive, Christchurch
Company number: 1792432
Certificate number: A1006

Issued by

Department of Building and Housing
PO Box 10 279, Wellington
Website: www.dbh.govt.nz
Email: multiproof@dbh.govt.nz
Date issued: 19 May 2011

This National Multiple-Use Approval is subject to the following conditions:

1. Subject to the Permitted Variations, this National Multiple-Use Approval may only be used in its entirety, and does not apply to any one part of the plans and specifications.
2. This National Multiple-Use Approval includes the Permitted Variations set out in this Schedule. If there are any changes to the approved plans and specifications this National Multiple-Use Approval does not apply.
3. More than one Permitted Variation may be used.
4. Mirror images of the floor plan are permitted.
5. This National Multiple-Use Approval can only be used where the following conditions apply:
 - a. Seismic zones: Building: Earthquake Zone 4 with soil class D & E. Sub Floor: Earthquake Zone 2 with soil class C
 - b. Snow Loading: Maximum roof snow load 2kPa to AS/NZS 1170.3:2003
 - c. Wind zones: Up to and including very high
 - d. Climate zones: Up to and including 3
 - e. Ground bearing capacity: Good ground as defined in B1 Structure Compliance Document
 - f. Roofing finish: Colorsteel Maxx or ColorCote ZMX for sea spray zone and Colorsteel Endura or ColorCote ZR8 for other zones (excludes geothermal hot spots)
 - g. Exposure zone: Up to and including zone D to NZS 3604:2011 except where adverse microclimatic factors (e.g. geothermal)