



**MINISTRY OF BUSINESS,  
INNOVATION & EMPLOYMENT**  
HIKINA WHAKATUTUKI

# MultiProof Certificate

This is to certify that a National Multiple-Use Approval has been issued to:

*Legacy Group Limited*

**Building 5.1, 5.2  
5 unit Blocks 2 storey 2 bedroom unit**

under Section 30F of the Building Act 2004 in respect of the approved plans and specifications\* and subject to the conditions\*\* specified:

Details of this National Multiple-Use Approval have been entered in the register of National Multiple-Use Approvals in accordance with Section 273 of the Building Act 2004.

Adrian Regnault  
General Manager  
Building System Performance Branch  
Ministry of Business, Innovation and Employment

10 October 2014

Date Issued

A10077

Certificate Number

\*The approved plans and specifications are those held by the Ministry

\*\*See Schedule for specific drawing references, permitted variations and conditions of approval

Note: The National Multiple-Use Approval referred to in this certificate is subject to change, suspension or revocation. For the current status of this National Multiple-Use Approval, check the Ministry's website [www.dbh.govt.nz/multiproof](http://www.dbh.govt.nz/multiproof)



## Schedule for certificate number A10077

### Permitted Variations:

**Floor Plan:**  
None

**Cladding:**  
None

**Roofing:**  
None

### Building Design Reference to Drawings

#### Architects Drawings

5.1 Floor Plans	5.1 (--)01 G
5.1 Framing Plans, Roof Plan	5.1 (--)02 C
5.1 Elevations	5.1 (--)03 D
5.1 / 5.2 Sections	5.1 (--)04 G
5.2 Floor Plans,	5.2 (--)01 H
5.2 Framing Plans, Roof Plan	5.2 (--)02 C
5.2 Elevations,	5.2 (--)03 F
Window Schedule & Details	(31)01 B
5.1 Plumbing Plan	5.1 (52)01 B
5.1 / 5.2 Plumbing Schematic	5.1 (52)02 B
5.2 Plumbing Plan	5.2 (52)01 B
5.1 / 5.2 Electrical & Lighting Plans	5.1 (64)01 B
Construction Details	01 to 114 (96 in total)
5.1 Truss Layout Drawings	1 & 2

#### Engineers Drawings

5.1 Foundations Ribraft TC2	
General Notes	S01 A
Slab Plan	S02 A
Standard Slab Details	S03 A
Standard Slab Details	S03A A
Standard Slab Details	S03B A
Plumbing Penetration Details	S04 A

5.2 Foundations Ribraft TC2	
General Notes	S01 A
Slab Plan	S02 A
Standard Slab Details	S03 A
Standard Slab Details	S03A A
Standard Slab Details	S03B A
Plumbing Penetration Details	S04 A
5.1 / 5.2 Engineers Drawings	
Portal Frame Type 1	
General Notes	S001 A
General Notes	S001a A
General Notes	S001b A
Typical Steel Details	S002 A
Portal Details Type 1	S003 A

### Certificate Holder

Legacy Group Ltd  
Level 3 159 Hurstmere Road  
Takapuna Auckland 0622  
Company number: 3238434  
Certificate number: A10077

### Issued by

Ministry of Business, Innovation and  
Employment  
PO Box 1473, Wellington 6140  
Website:  
[www.dbh.govt.nz/multiproof](http://www.dbh.govt.nz/multiproof)  
Email: [multiproof@mbie.govt.nz](mailto:multiproof@mbie.govt.nz)  
Date issued: 10 October 2014

### Restricted Building Work

Certificates of Work received from:

**Chris Steven CPEng 240355**

- Primary Structure

**Brian Cocker BP 1713**

- External Moisture Management Systems
- Fire Safety Systems (Smoke Alarms)

### This National Multiple-Use Approval is subject to the following conditions:

1. Subject to the Permitted Variations, this National Multiple-Use Approval may only be used in its entirety, and does not apply to any one part of the plans and specifications.
2. This National Multiple-Use Approval includes the Permitted Variations set out in this Schedule. If there are any changes to the approved plans and specifications this National Multiple-Use Approval does not apply.
3. Mirror images of the floor plan are permitted
4. This National Multiple-Use Approval can only be used where the following conditions apply:
  - a. Seismic zones: Limited to sites with a maximum earthquake hazard factor (Z) of 0.3 in all subsoil classes.
  - b. Snow Loading: Limited to sites with a maximum ground snow load of 0.9kPa in accordance with NZBC B1/VM1 (Christchurch N4 at 100m, as defined in NZS 3604:2011)
  - c. Wind zones: Limited to sites up to and including Ultimate wind speed of 37m/s in accordance with AS/NZS 1170.2:2002 or Medium as defined in NZS 3604:2011
  - d. Climate zones: Up to and including Zone 3 as defined in NZS 4218:2009
  - e. Exposure zone: Up to and including Zone C (as defined in NZS 3604:2011) Except where adverse microclimatic factors (e.g. geothermal areas)
  - f. Ground bearing capacity: Canterbury TC2 ground conditions — based on site specific Geotechnical investigations.