



Ministry of Business,
Innovation & Employment

MultiProof Certificate

This is to certify that a National Multiple-Use Approval has been issued to:

Nano House Ltd

Nano 1

Single storey self contained transportable dwelling unit

under Section 30F of the Building Act 2004 in respect of the approved plans and specifications* and subject to the conditions** specified:

Details of this National Multiple-Use Approval have been entered in the register of National Multiple-Use Approvals in accordance with Section 273 of the Building Act 2004.



Adrian Regnault
General Manager
Building System Performance Branch
Ministry of Business, Innovation and Employment

14 April 2015

Date Issued

A110079

Certificate Number

*The approved plans and specifications are those held by the Ministry
**See Schedule for specific drawing references, permitted variations and conditions of approval
Note: The National Multiple-Use Approval referred to in this certificate is subject to change, suspension or revocation. For the current status of this National Multiple-Use Approval, check the Ministry's website www.dbh.govt.nz

Permitted Variations:

Minor variations permitted.

Building Design Reference to Drawings

1	Title Page	[18-03-2015]
2	Foundation Drainage	[18-03-2015]
3	Foundation Plan	[18-03-2015]
4	Floor Plan	[18-03-2015]
5	Elevations	[18-03-2015]
6	Cross Section A-A	[18-03-2015]
7	Roof Layout	[18-03-2015]
8	Roof Details	[18-03-2015]
9	Bracing & Details	[18-03-2015]
10	Bracing Details	[18-03-2015]
11	Framing Layout	[18-03-2015]
12	Electrical Layout	[18-03-2015]
13	Wet Area Details	[18-03-2015]
14	Window Schedule	[18-03-2015]
15	Cladding Details	[18-03-2015]
16	Cladding Details	[18-03-2015]
17	Cantilevered Lintel Details	[16-06-2014]

Certificate Holder

Nano House Ltd
 PO Box 44 Greymouth 7840
 Company number: 5194541
 Certificate number: A10079

Issued by

Ministry of Business, Innovation and
 Employment
 PO Box 1473, Wellington 6140
 Website:
 www.dbh.govt.nz/multiproof
 Email: multiproof@mbie.govt.nz
 Date issued: 14 April 2015

Restricted Building Work

Certificates of Work received from:

- David Gunter BP 101391
- External Moisture Management Systems
- Part of Primary Structure (NZS 3604)
- Robin King CPEng 69998
- Part of Primary Structure (SED)

This National Multiple-Use Approval is subject to the following conditions:

1. This National Multiple-Use Approval includes the Permitted Variations set out in this Schedule.
2. Subject to the Permitted Variations, this National Multiple-Use Approval may only be used in its entirety, and does not apply to any one part of the plans and specifications.
3. Minor variations in accordance with Building (Minor Variations) Regulations 2009 are permitted.
4. Mirror images of the floor plan are permitted.
5. This National Multiple-Use Approval can only be used where the following conditions apply:
 - a. Seismic zones: Earthquake zones 1 to 4 in soil classes A to E as defined in NZS 3604:2011
 - b. Snow Loading: Maximum ground snow load of 2.0kPa as defined in NZS 3604:2011
 - c. Wind zones: Limited to sites up to and including an Ultimate Wind Speed of 50m/s (Very High) in accordance with NZS 3604:2011
 - d. Climate zones: Up to and including Zone 3
 - e. Ground bearing capacity: Good ground as defined in B1 Structure Compliance Document
 - f. Exposure zone: Up to and including Zone D to NZS 3604:2011 except where adverse microclimatic factors (e.g. geothermal)