



MINISTRY OF BUSINESS,
INNOVATION & EMPLOYMENT
HIKINA WHAKATUTUKI

MultiProof Certificate

This is to certify that a National Multiple-Use Approval has been issued to:

The Wellington Company Limited

Cityblox ~ Modular Apartment Units ~ Two Apartments Option 3

under Section 30F of the Building Act 2004 in respect of the approved plans and specifications* and subject to the conditions** specified:

Details of this National Multiple-Use Approval have been entered in the register of National Multiple-Use Approvals in accordance with Section 273 of the Building Act 2004.

Adrian Regnault
General Manager
Building System Performance Branch
Ministry of Business, Innovation and Employment

19 December 2014

Date Issued

A10089

Certificate Number

*The approved plans and specifications are those held by the Ministry

**See Schedule for specific drawing references, permitted variations and conditions of approval

Note: The National Multiple-Use Approval referred to in this certificate is subject to change, suspension or revocation. For the current status of this National Multiple-Use Approval, check the Ministry's website www.dbh.govt.nz

Schedule for certificate number A10089

Permitted Variations:

Floor Plan:

None

Cladding:

None

Roofing:

None

Building Design Reference to Drawings

Refer to the Ministry's website www.dbh.govt.nz/multiproof-a10089 for the approved drawings and documents

Stacking Option

8 Drawings: AD3-100 Rev 5 to AD3-410 Rev 5

Apartment Upper Floors

60 Drawings: ACL-100 Rev 5 to ACL-610 Rev 5
And SCL-100 Rev 5 to SCL-512 Rev 5

Apartment Bottom Floor

20 Drawings: SCL-100 Rev 5 to SCL-512 Rev 5

Apartment Roof

33 Drawings: ARL-100 Rev 5 to ARL-520 Rev 5
And SRL-100 Rev 5 to SRL-510 Rev 5

Inter-Apartment: Connection Details

4 Drawings: ACD-400 Rev 5 to ACD-421 Rev 5

Stair: Double Bottom Floor with Store

29 Drawings: ADB-100 Rev 5 to ADB-600 Rev 5
And SDB-100 Rev 5 to SDB-501 Rev 5

Stair: Double Intermediate with Store

29 Drawings: ADI-100 Rev 5 to ADI-600 Rev 5
And SDI-100 Rev 5 to SDI-501 Rev 5

Stair: Double Top with Store

29 Drawings: ADT-100 Rev 5 to ADT-600 Rev 5
And SDT-100 Rev 5 to SDT-501 Rev 5

Stair: Double Roof with Store

17 Drawings: ADR-100 Rev 5 to ADR-530 Rev 5
And SDR-100 Rev 5 to SDR-500 Rev 5

Emergency Lighting and Signs

7 Drawings: AL-100 to AL-106

Fire penetration Details

3 Drawings: AL-120 to AL-122

Services:

Electrical

2 Drawings: E1 Rev C, E2 Rev D

Fire Protection

1 Drawing: F1 Rev C,

Mechanical

2 Drawings: M1 Rev B, M2 Rev E

Plumbing

5 Drawings: P1 Rev C, P2 Rev C, P3 Rev B,

P4 Rev B, P5 Rev C

Certificate Holder

The Wellington Company Ltd
Level 12/ 50 Manners Street
Wellington 6011

Company number: 903151
Certificate number: A10089

Issued by

Ministry of Business, Innovation and
Employment
PO Box 1473, Wellington 6140
Website: www.dbh.govt.nz
Email: multiproof@mbie.govt.nz
Date issued: 19 December 2014

Restricted Building Work

Certificates of Work received from:

Duncan Fleming CPEng 223433

- Primary Structure

Tom Lancaster BP 115187

- External Moisture Management Systems

Simon Weaver CPEng 220207

- Fire Safety Systems

This National Multiple-Use Approval is subject to the following conditions:

1. This National Multiple-Use Approval includes the Permitted Variations set out in this Schedule.
2. Subject to the Permitted Variations, this National Multiple-Use Approval may only be used in its entirety, and does not apply to any one part of the plans and specifications.
3. Minor variations in accordance with Building (Minor Variations) Regulations 2009 are permitted.
4. Mirror images of the floor plan are permitted.
5. Foundations are not included in this National Multiple-Use Approval.
6. Protection from Fire is to be reassessed in context of location on site at the Building Consent stage.
7. This National Multiple-Use Approval can only be used where the following conditions apply:
 - a. Seismic zones: Limited to sites with a maximum earthquake hazard factor (Z) of 0.4 and site subsoil classifications of A, B or C; or hazard factor (Z) of 0.3 and site subsoil classifications of A to E in accordance with AS/NZS 1170.5:2004
 - b. Snow Loading: Limited to sites with a maximum ground snow load of 2.0kPa in accordance with AS/NZS 1170.3:2003
 - c. Wind zones: Limited to sites with an ultimate wind speed of 51m/s (Very High) in accordance with AS/NZS 1170.2:2002
 - d. Climate zones: Up to and including Zone 3 as defined in NZS 4218:2009.
 - e. Exposure zone: Up to and including Zone B as defined in NZS 3604:2011. Except where adverse microclimatic factors (e.g. geothermal areas)