



MINISTRY OF BUSINESS,  
INNOVATION & EMPLOYMENT  
HIKINA WHAKATUTUKI

# MultiProof Certificate

This is to certify that a National Multiple-Use Approval has been issued to:

*The Wellington Company Limited*

**Cityblox ~ Modular Apartment Units ~ Two Apartments Option 7**

under Section 30F of the Building Act 2004 in respect of the approved plans and specifications\* and subject to the conditions\*\* specified:

Details of this National Multiple-Use Approval have been entered in the register of National Multiple-Use Approvals in accordance with Section 273 of the Building Act 2004.

Adrian Regnault  
General Manager  
Building System Performance Branch  
Ministry of Business, Innovation and Employment

19 December 2014

Date Issued

A10093

Certificate Number

\*The approved plans and specifications are those held by the Ministry

\*\*See Schedule for specific drawing references, permitted variations and conditions of approval

Note: The National Multiple-Use Approval referred to in this certificate is subject to change, suspension or revocation. For the current status of this National Multiple-Use Approval, check the Ministry's website [www.dbh.govt.nz](http://www.dbh.govt.nz)

## Schedule for certificate number A10093

### Permitted Variations:

**Floor Plan:**  
None

**Cladding:**  
None

**Roofing:**  
None

### Building Design Reference to Drawings

Refer to the Ministry's website [www.dbh.govt.nz/multiproof-a10093](http://www.dbh.govt.nz/multiproof-a10093) for the approved drawings and documents

**Stacking Option**  
8 Drawings: AD7-100 Rev 5 to AD7-410 Rev 5

**Apartment Upper Floors**  
60 Drawings: ACL-100 Rev 5 to ACL-610 Rev 5  
And SCL-100 Rev 5 to SCL-512 Rev 5

**Apartment Bottom Floor**  
20 Drawings: SCL-100 Rev 5 to SCL-512 Rev 5

**Apartment Roof**  
33 Drawings: ARL-100 Rev 5 to ARL-520 Rev 5  
And SRL-100 Rev 5 to SRL-510 Rev 5

**Inter-Apartment: Connection Details**  
4 Drawings: ACD-400 Rev 5 to ACD-421 Rev 5

**Stair: Double Bottom Floor without Store**  
29 Drawings: ADB-100 Rev 5 to ADB-600 Rev 5  
And SDB-100 Rev 5 to SDB-501 Rev 5

**Stair: Double Intermediate without Store**  
29 Drawings: ADI-100 Rev 5 to ADI-600 Rev 5  
And SDI-100 Rev 5 to SDI-501 Rev 5

**Stair: Double Top without Store**  
29 Drawings: ADT-100 Rev 5 to ADT-600 Rev 5  
And SDT-100 Rev 5 to SDT-501 Rev 5

**Stair: Double Roof without Store**  
17 Drawings: ADR-100 Rev 5 to ADR-530 Rev 5  
And SDR-100 Rev 5 to SDR-500 Rev 5

**Emergency Lighting and Signs**  
7 Drawings: AL-100 to AL-106

**Fire penetration Details**  
3 Drawings: AL-120 to AL-122

**Services:**  
**Electrical**  
2 Drawings: E1 Rev C, E2 Rev D  
**Fire Protection**  
1 Drawing: F1 Rev C,  
**Mechanical**  
2 Drawings: M1 Rev B, M2 Rev E  
**Plumbing**  
5 Drawings: P1 Rev C, P2 Rev C, P3 Rev B,  
P4 Rev B, P5 Rev C

### Certificate Holder

The Wellington Company Ltd  
Level 12/ 50 Manners Street  
Wellington 6011

Company number: 903151  
Certificate number: A10093

### Issued by

Ministry of Business, Innovation and  
Employment  
PO Box 1473, Wellington 6140  
Website: [www.dbh.govt.nz](http://www.dbh.govt.nz)  
Email: [multiproof@mbie.govt.nz](mailto:multiproof@mbie.govt.nz)  
Date issued: 19 December 2014

### Restricted Building Work

Certificates of Work received from:

#### Duncan Fleming CPEng 223433

- Primary Structure

#### Tom Lancaster BP 115187

- External Moisture Management Systems

#### Simon Weaver CPEng 220207

- Fire Safety Systems

### This National Multiple-Use Approval is subject to the following conditions:

1. This National Multiple-Use Approval includes the Permitted Variations set out in this Schedule.
2. Subject to the Permitted Variations, this National Multiple-Use Approval may only be used in its entirety, and does not apply to any one part of the plans and specifications.
3. Minor variations in accordance with Building (Minor Variations) Regulations 2009 are permitted.
4. Mirror images of the floor plan are permitted.
5. Foundations are not included in this National Multiple-Use Approval.
6. Protection from Fire is to be reassessed in context of location on site at the Building Consent stage.
7. This National Multiple-Use Approval can only be used where the following conditions apply:
  - a. Seismic zones: Limited to sites with a maximum earthquake hazard factor (Z) of 0.4 and site subsoil classifications of A, B or C; or hazard factor (Z) of 0.3 and site subsoil classifications of A to E in accordance with AS/NZS 1170.5:2004
  - b. Snow Loading: Limited to sites with a maximum ground snow load of 2.0kPa in accordance with AS/NZS 1170.3:2003
  - c. Wind zones: Limited to sites with an ultimate wind speed of 51m/s (Very High) in accordance with AS/NZS 1170.2:2002
  - d. Climate zones: Up to and including Zone 3 as defined in NZS 4218:2009.
  - e. Exposure zone: Up to and including Zone B as defined in NZS 3604:2011. Except where adverse microclimatic factors (e.g. geothermal areas)