



Ministry of Business,
Innovation & Employment

MultiProof Certificate

This is to certify that a National Multiple-Use Approval has been issued to:

Neil Colliver

KSM - Minor

Single storey two bedroom kitset dwelling

under Section 30F of the Building Act 2004 in respect of the approved plans and specifications* and subject to the conditions** specified:

Details of this National Multiple-Use Approval have been entered in the register of National Multiple-Use Approvals in accordance with Section 273 of the Building Act 2004.

John Gardiner
Manager Determinations and Assurance
Building System Performance Branch
Ministry of Business, Innovation and Employment

5 April 2017

Date Issued

A10132

Certificate Number

*The approved plans and specifications are those held by the Ministry

**See Schedule for specific drawing references, permitted variations and conditions of approval

Note: The National Multiple-Use Approval referred to in this certificate is subject to change, suspension or revocation. For the current status of this National Multiple-Use Approval, check the Ministry's website www.building.govt.nz

Schedule for certificate number A10132

Permitted Variations:

Floor Plan:
None

Deck:
Deck can be extended to the entire length of the North Elevation

Joinery:
Aluminium window and door frames can be replaced with Veka uPVC window and door frames

Energy Source:
Electric - HWC, oven, cooker hobs can be replaced with gas - water heater, oven, cooker hobs.

Building Design Reference to Drawings

Refer to the Ministry's website www.building.govt.nz/building-code-compliance/product-assurance-and-multiproof/multiproof/multiproof-register/a10132-neil-colliver for the approved drawings and documents. Check for current version of drawings and documents.

101	GA Plan	[29/03/17]
102	Pile Plan	[02/03/17]
103	Bearers Plan	[29/03/17]
104	Floor Plan	[02/03/17]
105	Bracing	[02/03/17]
106	Plumbing and Drainage	[02/03/17]
107	Electrical	[02/03/17]
108	Roof Plan	[02/03/17]
201	Sections A & B	[29/03/17]
301	Elevations N & S	[29/03/17]
302	Elevations W & E	[29/03/17]
401	3D Details Main Structure	[21/03/17]
402	2D Structural details	[21/03/17]
403	Trim Fixing Details	[21/03/17]
404	Bath, shower details	[21/03/17]
405	Beam and post details	[21/03/17]
406	Deck and steps details	[21/03/17]
407	Plumbing schematic	[21/03/17]
408	Window details	[21/03/17]
409	Door details	[21/03/17]
410	3D small details	[05/12/16]

This National Multiple-Use Approval is subject to the following conditions:

1. Subject to the Permitted Variations, this National Multiple-Use Approval may only be used in its entirety, and does not apply to any one part of the plans and specifications.
2. This National Multiple-Use Approval includes the Permitted Variations set out in this Schedule. If there are any changes to the approved plans and specifications this National Multiple-Use Approval does not apply.
3. More than one Permitted Variation may be used.
4. Mirror images of the floor plan are permitted
5. This National Multiple-Use Approval can only be used where the following conditions apply:
 - a. Seismic zones: Limited to sites in earthquake zones 1, 2 & 3 and in all subsoil classes as defined in NZS 3604:2011
 - b. Snow Loading: Limited to sites with a maximum ground snow load of 2.0kPa as defined in NZS 3604:2011
 - c. Wind zones: Limited to sites with an Ultimate Wind Speed of 50m/s (Very High) as defined in NZS 3604:2011
 - d. Climate zones: Up to and including Zone 3 as defined in NZS 4218:2009
 - e. Ground bearing capacity: Good ground as defined in B1 Structure Compliance Document
 - f. Exposure zone: Up to and including Zone D as defined in NZS 3604:2011, except where adverse microclimatic factors (e.g. geothermal)

Certificate Holder

Neil Colliver
227 Parewanui Road, RD1, Bulls 4894
Company number: 1905571
Certificate number: A10132

Issued by

Ministry of Business, Innovation and
Employment
PO Box 1473 Wellington 6140
Website: www.building.govt.nz
Email: multiproof@mbie.govt.nz
Date issued: 5 April 2017

Restricted Building Work

Certificates of Work received from:

Neil Colliver BP 121530

- External Moisture Management Systems

Dave Mulholland CPEng 41430

- Primary Structure