



Ministry of Business,
Innovation & Employment

MultiProof Certificate

This is to certify that a National Multiple-Use Approval has been issued to:

Neil Colliver

QBH - 72sqm - 2 Bedroom Design

Single storey two bedroom kitset dwelling

under Section 30F of the Building Act 2004 in respect of the approved plans and specifications* and subject to the conditions** specified:

Details of this National Multiple-Use Approval have been entered in the register of National Multiple-Use Approvals in accordance with Section 273 of the Building Act 2004.

Paul Hobbs
Manager Building System Assurance
Consumer Protection and Standards Branch
Ministry of Business, Innovation and Employment

1 June 2018

Date Issued

A10144

Certificate Number

*The approved plans and specifications are those held by the Ministry of Business, Innovation and Employment

**See Schedule for specific drawing references, permitted variations and conditions of approval

Note: The National Multiple-Use Approval referred to in this certificate is subject to change, suspension or revocation. For the current status of this National Multiple-Use Approval, check the Ministry's website www.building.govt.nz

Schedule for certificate number A10144

Permitted Variations:

Floor Plan:

WC pan can be added to Laundry.

Deck:

Deck can be extended to the entire length of the North Elevation

Joinery:

Aluminium window and door frames can be replaced with Veka UPVC window and door frames

Energy Source:

Electric - HWC, oven, cooker hobs can be replaced with gas - water heater, oven, cooker hobs.

Building Design Reference to Drawings

Refer to the Ministry's website www.building.govt.nz/building-code-compliance/product-assurance-and-multiproof/multiproof/multiproof-register/a10144-neil-colliver for the approved drawings and documents. Check for current version of drawings and documents.

101 rev 2	GA Plan	[31/3/18]	401 rev 2	3D Details Main Structure	[31/3/18]
102 rev 2	Pile Plan	[31/3/18]	402 rev 2	2D Structural details	[31/3/18]
103 rev 2	Bearer Plan	[31/3/18]	403 rev 2	Trim Fixing Details	[31/3/18]
104 rev 2	Floor Plan	[31/3/18]	404 rev 2	Bath, shower details	[31/3/18]
105 rev 2	Bracing	[31/3/18]	405 rev 2	Beam and post details	[31/3/18]
106 rev 2	Plumbing	[31/3/18]	406 rev 2	Deck and steps details	[31/3/18]
107	Electrical		407 rev 2	Window details	[31/3/18]
108 rev 2	Roof Plan	[31/3/18]	408 rev 2	Door details	[31/3/18]
109 rev 2	Fire Escape Distances	[31/3/18]	409 rev 2	3D Small Details	[31/3/18]
110	Kitchen	[31/3/18]	410 rev 2	Plumbing schematic	[31/3/18]
201 rev 2	Sections	[31/3/18]			
301 rev 2	North & South Elevations	[31/3/18]			
302 rev 2	West & East Elevations	[31/3/18]			

Certificate Holder

Neil Colliver
227 Parewanui Road, RD1, Bulls 4894
Company number: 1905571
Certificate number: A10144

Issued by

Ministry of Business, Innovation and Employment
PO Box 1473 Wellington 6140
Website:
www.building.govt.nz/multiproof
Email: multiproof@mbie.govt.nz
Date issued: 1 June 2018

Restricted Building Work

Certificates of Work received from:

- Neil Colliver** **BP 121530**
- External Moisture Management Systems
- Dave Mulholland CPEng 41430**
- Primary Structure

This National Multiple-Use Approval is subject to the following conditions:

1. This National Multiple-Use Approval includes the Permitted Variations set out in this Schedule. If there are any changes to the approved plans and specifications this National Multiple-Use Approval does not apply.
2. Minor variations in accordance with Building (Minor Variations) Regulations 2009 are permitted.
3. More than one Permitted Variation may be used. The requirements for a dwelling must be maintained. Verandah options described in the Verandah Drawings are permitted.
4. Mirror images and flipped images of the floor plan and roof plan are permitted.
5. This National Multiple-Use Approval can only be used where the following conditions apply:
 - a. Seismic zones: Limited to sites in earthquake zones 1, 2 & 3 and in all subsoil classes as defined in NZS 3604:2011
 - b. Snow Loading: Limited to sites with a maximum ground snow load of 2.0kPa as defined in NZS 3604:2011
 - c. Wind zones: Limited to sites with an Ultimate Wind Speed of 50m/s (Very High) as defined in NZS 3604:2011
 - d. Climate zones: Up to and including Zone 3 as defined in NZS 4218:2009
 - e. Ground bearing capacity: Good ground as defined in B1 Structure Compliance Document
 - f. Exposure zone: Up to and including Zone D as defined in NZS 3604:2011, except where adverse microclimatic factors (e.g. geothermal)