



MINISTRY OF BUSINESS,  
INNOVATION & EMPLOYMENT  
HIKINA WHAKATUTUKI

# MultiProof Certificate

This is to certify that a National Multiple-Use Approval has been issued to:


*Cabin Kings Limited*

**Type A minor dwelling**

**Single storey 28m<sup>2</sup> minor dwelling with attached timber slatted deck**

under section 30F of the Building Act 2004 in respect of the approved plans and specifications\* and subject to the conditions\*\* specified:

Details of this National Multiple-Use Approval have been entered in the register of National Multiple-Use Approvals in accordance with section 273 of the Building Act 2004.



Paul Hobbs  
Manager Building System Assurance  
Consumer Protection and Standards Branch  
Ministry of Business, Innovation and Employment

13 February 2019  
Date Issued

A10169  
Certificate Number

\*The approved plans and specifications are those held by the Ministry

\*\*See Schedule for specific drawing references, permitted variations and conditions of approval

**Note:** The National Multiple-Use Approval referred to in this certificate is subject to change, suspension or revocation. For the current status of this National Multiple-Use Approval, check the Ministry's website [www.building.govt.nz](http://www.building.govt.nz)

## Schedule for certificate number A10169

### Permitted Variations:

None

### Certificate Holder

Cabin Kings Limited  
Ground Floor, 611 Great South  
Road, Manukau, Auckland 2104  
Company number: 6002662  
Certificate number: A10169

### Issued by

Ministry of Business, Innovation and  
Employment  
PO Box 1473, Wellington 6140  
Website:  
[www.building.govt.nz/multiproof](http://www.building.govt.nz/multiproof)  
Email: [multiproof@mbie.govt.nz](mailto:multiproof@mbie.govt.nz)  
Date issued: 13 February 2019

### Restricted Building Work

Certificates of Work received from:

**Adwait Haldankar LBP 119512**

- Primary Structure
- External Moisture Management Systems

**Kevin Grant Burrows CPEng 1897**

- Primary Structure

### Building Design Reference to Drawings

Refer to the Ministry's website [www.building.govt.nz/building-code-compliance/product-assurance-and-multiproof/multiproof/multiproof-register/a10169/](http://www.building.govt.nz/building-code-compliance/product-assurance-and-multiproof/multiproof/multiproof-register/a10169/) for the approved drawings and documents. Check for current version of drawings and documents.

#### Drawings

Sheets	A00	Cover page
	A01	Floor plan and roof framing plan
	A03	Foundation plan and wall bracing plan
	A05	Elevations
	A07	Sections
	A09	Weathertight details
	A10	Weathertight details and stair detail
	A11	Structural details
	A12	Wet area details
	A13	GIB details
	A14	MiTek NZ Lumberlok lintel fixing schedule
	A15	Structural fixings tables
	A16	Structural details and wet area detail
	A17	Hot water cylinder

### This National Multiple-Use Approval is subject to the following conditions:

1. This national multiple-use approval may only be used in its entirety, and does not apply to any one part of the plans and specifications.
2. If there are any changes to the approved plans and specifications, this national multiple-use approval does not apply.
3. Foundation design is not covered by this national multiple-use approval.
4. Mirror images and flipped images of the floor plan are permitted.
5. Building must be connected to a potable water supply.
6. Building must be connected to a sewer or foul water disposal system.
7. Building must be located no closer than 1m from any relevant boundary.
8. This national multiple-use approval can only be used where the following apply:
  - a. Wind zone: Limited to sites up to and including Medium wind zone as defined in Table 5.4 of NZS 3604: 2011. Excludes lee zones as shown on Figure 5.1 of NZS 3604: 2011
  - b. Seismic zone: Limited to sites up to and including earthquake zone 1 as defined in Figure 5.4 of NZS 3604: 2011
  - c. Site subsoil classification: Limited to Class C as determined in accordance with 5.3.3 of NZS 3604: 2011.
  - d. Exposure zone: Limited to sites up to and including Zone C as defined in 4.2.3.2 of NZS 3604: 2011. Excludes all microclimatic conditions.
  - e. Snow Loading: Limited to a maximum 1kPa ground snow load.
  - f. Climate zone: Limited to sites up to and including Zone 3 as defined in Appendix B of NZS 4218: 2009.