



**MINISTRY OF BUSINESS,
INNOVATION & EMPLOYMENT**
HIKINA WHAKATUTUKI

MultiProof Certificate

This is to certify that a National Multiple-Use Approval has been issued to:

Eastland Evolution Limited

1 Bedroom Dwelling Single Storey Design

under Section 30F of the Building Act 2004 in respect of the approved plans and specifications* and subject to the conditions** specified:

Details of this National Multiple-Use Approval have been entered in the register of National Multiple-Use Approvals in accordance with Section 273 of the Building Act 2004.

Simon Thomas
National Manager Building System Assurance
Consumer Protection and Standards Branch
Ministry of Business, Innovation and Employment

21st July 2020

Date Issued

A10415 (Rev 1 issued 8 March 2022)

Certificate Number

*The approved plans and specifications are those held by the Ministry

**See Schedule for specific drawing references, permitted variations and conditions of approval

Note: The National Multiple-Use Approval referred to in this certificate is subject to change, suspension or revocation. For the current status of this National Multiple-Use Approval, check the Ministry's website www.building.govt.nz

Schedule for certificate number A10415

Permitted Variations:

Foundations:

Driven timber piles with anchor piles may be replaced with Specific Engineer Design foundation system

Bracing:

James Hardie Villaboard may be replaced with CHH EcoPly

Insulation:

Tasman Insulation Ltd Pink Batts may be replaced with Knauf Insulation Ltd Earthwool Glasswool Insulation

Building Design Reference to Drawings

Refer to the Ministry's website www.building.govt.nz/building-code-compliance/product-assurance-and-multiproof/multiproof/multiproof-register/a10415-eastlandevolutionlimited-for for the approved drawings and documents. Check for current version of drawings and documents.

Drawings - Willott Design - March 2020

MA01 Foundations
 MA02 Floor Plan & Elevations
 MA03 Rev B Fixing & Lintel and Bracing Plan
 MA04 Rev A Roof Layout and Electrical Plan
 MA05 Sections
 MA05 Rev A Sections
 MA06 Details
 MA07 Roof Details
 MA08 Rev A Shadowclad Details
 MA09 Shadowclad Details
 MA10 Shadowclad Details
 MA11 Framing
 MA12 Fixings
 MA13 Fixings
 MA14 Flashings Information
 MA15 Waterproofing Details
 MA16 HWC
 MA17 Rev A Rafter and Skillion Roof Details
 MA18 Plumbing Plan
 MA19 Stair Details

Specification—Eastland Evolution Ltd—January 2022

Truss Layout & Fixing Information— Carters 311453M7-M11
 30 July 2021

Certificate Holder

Eastland Evolution Limited
 1 Coppelia Ave
 Omokoroa
 Tauranga, 3114
 Company number: N/A
 Certificate number: A10415

Issued by

Ministry of Business, Innovation and
 Employment
 PO Box 1473, Wellington 6140

Website:
www.building.govt.nz/multiproof

Email: multiproof@mbie.govt.nz

Date issued: 21st July 2020

Restricted Building Work

Certificates of Work received from:

Yongguang Chen
 CPEng 1021986

- Primary Structure

Philip Willott
 Registered License Building Practitioner
 BP 106881

- External Moisture Management

Note: Inspection procedures including any construction monitoring to be confirmed at the time of the building consent application

This National Multiple-Use Approval is subject to the following conditions:

1. This national multiple-use approval may only be used in its entirety, and does not apply to any one part of the plans and specifications.
2. If there are any changes to the approved plans and specifications, this national multiple-use approval does not apply.
3. Minor variations to the design as defined in the Building (Minor Variations) Regulations 2009 are permitted; and must be assessed at the time of the building consent application
4. The building must be located more than 1m from any relevant boundary and connected to a potable water supply and a foul water disposal system.
5. This National Multiple-Use Approval can only be used where the following conditions apply:
 - a. Wind zone: Limited to sites up to and including high wind zone as defined in Table 5.4 of NZS 3604:2011. Excludes lee zones as shown on Figure 5.1 of NZS 3604: 2011
 - b. Seismic zone: Limited to sites up to and including earthquake zones 1, 2 and 3 as defined in Figure 5.4 of NZS 3604: 2011.
 - c. Site subsoil classification: For any site seismic subsoil class A to E as determined in accordance with 5.3.3 of NZS 3604:2011.
 - d. Exposure zone: Limited to sites up to and including Zone C as defined in 4.2.3 of NZS 3604: 2011. Excludes all microclimatic conditions.
 - e. Climate zone: For zones 1 or 2 as defined in Appendix B of NZS 4218:2009
 - f. Snow Loading: Limited to a maximum 1.5kPa ground snow load as defined in NZS 3604: 2011.
 - g. Ground bearing capacity: Good ground as defined in definition section of B1 Structure Acceptable Solutions and Verification Methods. And as determined by Driven Timber Pile requirements of NZS3604:2011