



CODEMARK™

Product description

Timber Weatherboards including:
 Bevel Back profiles, sizes 180 x 18mm, 187 x 18mm, 142 x 18mm, 135 x 18mm and rebated 107 x 18mm
 Bevel Back Rustic profiles, sizes 180 x 19mm, 135 x 19mm and Hawkesbay profile 135 x 19mm
 Vertical Shiplap, sizes 180 x 19mm and 135 x 19mm
 Wellington Rustic, sizes Ex 225 x 25mm, Ex 250 x 25mm
 Splay-cut Bevel Back, size Ex 200 x 25mm

Product purpose or use

Clelands Timber Weatherboard Cladding is designed for use as cladding for residential and small commercial buildings that fall within the scope of NZS3604 (2011).

Certificate holder

Clelands Timber Products Limited
 61 Katere Road
 New Plymouth 4341
 Ph: 0800 100 095
 Fax: 0800 114 488
 Web: www.clelands.co.nz

CodeMark Product Certification Body

Bureau Veritas Australia P/L
 3/435 Williamstown Rd,
 Port Melbourne VIC, 3207
 Ph: 1800 855 190
 www.bureauveritas.com.au

Sam Guindi
 Product Certification Manager

For and on behalf of
 Bureau Veritas Australia Pty Ltd

PRODUCT CERTIFICATE

This is to certify that

Clelands Timber Weatherboard Cladding

Complies with the New Zealand Building Code (NZBC):

If designed, used, installed and maintained in accordance with the scope of this certificate, the above mentioned product will meet or contribute to meeting the following provisions of the NZBC:

- B1 Structure - B1.3.1, B 1.3.2 , B1.3.3 (a, c, , f, h, j)
- B2 Durability - B2.3.1 (b)
- E2 External Moisture - E2.3.2 E 2.3.3
- F2 Hazardous Building Materials - F2.3.1

Subject to the following conditions and limitations

1. Clelands Timber Weatherboard Cladding must be designed and installed by a Licensed Building Practitioner to the specifications listed in Clelands Timber Codemarked Weatherboard Cladding (March 2018).
2. Clelands Timber Weatherboard Cladding must be painted a light colour not less than 45% LRV and maintained in accordance with Clelands Timber Codemarked Weatherboard Cladding (23 Jan. 2015 Version 1.3).
3. For designs outside the scope of the specifications, specific design must be undertaken by the architect or designer.
4. Clelands Timber Products Ltd will notify Bureau Veritas in accordance with Regulation 15 of the Building (Product Certification) Regulations 2008.



**BUREAU
VERITAS**



WWW.JAS-ANZ.ORG/REGISTER

6 June 2019
 Date of issue

CM70014
 Certificate Number



**MINISTRY OF BUSINESS,
 INNOVATION & EMPLOYMENT**
 HĪKINA WHAKATUTUKI

- This certificate is issued by an independent certification body accredited by JAS-ANZ, the product certification body appointed by the Chief Executive of the Ministry of Business, Innovation and Employment under the Building Act 2004. The Ministry does not in any way warrant, guarantee, or represent that the building method or product the subject of this certificate conforms with the New Zealand Building Code, nor accept any liability arising out of the use of the building method or product. The Ministry disclaims to the extent permitted by law, all liability (including negligence) for claims of losses, expenses, damages, and costs arising as a result of the use of the building method(s) or product(s) referred to in this certificate.
- This certificate may only be reproduced in its entirety. It is advised to check that this certificate is currently valid and not withdrawn or suspended by referring to the Register of Product Certificates on the Building Performance website <http://www.building.govt.nz>.