



# CERTIFICATE OF CONFORMITY

This is to certify that  
**Dulux Group (NZ) Pty Ltd**

## Dulux AcraTex Exsulite Cladding Systems



### Product Description

Dulux AcraTex Exsulite Cladding Systems are exterior insulated finishing systems comprising of: expanded polystyrene to form a cavity and coated with a cement based plaster.

#### Models:

- Dulux AcraTex Exsulite EIFS Cladding System
- Dulux AcraTex Exsulite Kooltherm K5 Cladding System

### Certificate Holder

#### Dulux Group (NZ) Pty Ltd

NZBN: 9429031797351  
150 Hutt Park Road,  
Lower Hutt, Wellington 5040  
New Zealand  
Ph: 0800 800 424  
W: www.dulux.co.nz

### Certification Body

#### CertMark International Pty Ltd

T/A CertMark New Zealand  
ABN: 80 111 217 568  
JAS-ANZ Accreditation No. Z4450210AK  
PO Box 7144, Sippy Downs Qld 4556  
www.CertMark.org

### Complies with the New Zealand Building Code

1. B1.3.1, B1.3.2 & B1.3.4
2. B2.3.1 (b)
3. C3.4 (a) Walls, C3.5 Spread of Fire, C3.6 (buildings within one meter of a shared boundary)
4. E2.3.2, E2.3.3, E2.3.5, (as applicable to concrete wall systems)
5. F2.3.1

### Product Purpose or Use

For use as a light weight external cladding system suitable for residential and light commercial buildings where standard construction techniques are to be used.

### Subject to the following Conditions & Limitations

- a. Dulux AcraTex Exsulite Cladding System must only to be installed in accordance with the [Dulux Exsulite Installation Manual and Construction Drawings New Zealand March 2017 Version 2](#).
- b. Dulux AcraTex Exsulite Kooltherm K5 Cladding System must only to be installed in accordance with the [Kingspan Kooltherm K5 External Wall Board Guide A4/6 K5 AW2161 Issue 5 Dec 2016](#).
- c. All joinery used in conjunction with the Dulux AcraTex Exsulite Cladding System must meet the requirements of NZS 4211:2008.
- d. The Dulux Exsulite System is restricted to use as external wall cladding:
  - Single storey buildings 1m or more from the boundary for all purpose groups;
  - Buildings up to 7m high, 1m or more from the boundary, for all purpose groups other than SC.
- e. This Certification relates only to the clauses of the NZBC as contained herein. Consequently, any clause(s) not included on this Certificate are outside the scope of this Certification.
- f. This Certification relates only to the product that is described above, and has to be read, considered and used as a whole document — it may be considered misleading and will be incomplete to be selective.
- g. This Certification relates only to the subject element's reaction to fire, and no evaluation has been made of any other wall system elements used in conjunction with the subject of this Certification. As there may be a potential for multiple combustible elements to be incorporated in constructing the wall system.
- h. The Certificate Holder must maintain compliance with the conditions set out in Section 15 of the Building (Product Certification) Regulations 2008.

**John Thorpe**  
CertMark International Pty Ltd

24/09/2013

**Date of Issue**

CMA-CM40069-I02-R00

**Certificate Number**  
Revised July 2017

- This certificate is issued by an independent certification body accredited by the product certification accreditation body appointed by the Chief Executive of the Ministry of Business, Innovation & Employment (MBIE) under the Building Act 2004. MBIE does not in any way warrant, guarantee, or represent that the building method or product the subject of this certificate conforms to the New Zealand Building Code, nor accept any liability arising out of the use of the building method or product. MBIE disclaims, to the extent permitted by law, all liability (including negligence) for claims of losses, expenses, damages, and costs arising as a result of the use of the building method(s) or product(s) referred to in this certificate
- It is advised to check that this Certificate of Conformity is currently valid and not withdrawn, suspended or superseded by a later issue by referring to the MBIE website, www.mbie.govt.nz
- This certificate may only be reproduced in its entirety.



WWW.JAS-ANZ.ORG/REGISTER