



CODEMARK™

Product description

FIBO Wall Panels have a decorative, high-pressure laminate surface, bonded to high-quality WBP (marine) plywood with a balancer laminate on the reverse. FIBO Wall Panels have an "Aqualock" edge lap jointing system. FIBO Wall Panels are supplied in 600 x 2400 sheets. Other components of the system are sealants (FIBO SEAL) and jointers (Aluminium and PVC).

Product purpose or use

FIBO Walls Panels are a waterproof wall panel intended for use in wet areas, bathrooms, sanitary rooms, kitchens and laundries. FIBO Wall Panels may be used as an internal lining;

- In all locations in household units, ancillary buildings, and outbuildings.

FIBO Wall Panels are not suitable for:

- Sleeping areas where care or detention is provided,
- In exit ways,
- All occupied spaces in importance level 4 buildings,
- Crowd and sleeping uses where care or detention is provided (unless sprinklered).

Certificate holder

Beyond Tiles Limited
84 Carlton Crescent
Auckland, 2018
Ph: 021 945 000
Email: info@beyondtiles.co.nz
Web: www.beyondtiles.co.nz

CodeMark Product Certification Body

Bureau Veritas Australia Pty Ltd
3/435 Williamstown Road,
Port Melbourne VIC, 3207
Ph: 1800 855 190
www.bureauveritas.com.au

Sam Guindi
Product Certification Manager

For and on behalf of
Bureau Veritas Australia Pty Ltd

PRODUCT CERTIFICATE

This is to certify that

FIBO Wall Panel System



**BUREAU
VERITAS**

Complies with the New Zealand Building Code (NZBC):

If designed, used, installed and maintained in accordance with the scope of this certificate, the above mentioned product will meet or contribute to meeting the following provisions of the NZBC:

Structure B1.3.1, B1.3.2, B1.3.3 (a), (j), B1.3.4

Durability B2.3.1 (c), B2.3.2 (a)

Fire Affecting Areas Beyond the Fire Source C3.4 (a)

Internal Moisture E3.3.4, E3.3.5, E3.3.6

Hazardous Building Materials F2.3.1

Subject to the following conditions and limitations

1. The Fibo Wall Panel System shall only be installed in accordance with Beyond Tiles QMP Manual V2(1), issued 10 September 2019.
2. Sealant used for joints and cuts ends must be FIBO Seal.
3. FIBO Wall Panels are not suitable for use in saunas.
4. In designated wet areas the system shall only be installed by a Fibo Wall Panel System certified installer (contact this certificate holder for details).

JAS-ANZ



WWW.JAS-ANZ.ORG/REGISTER

31 October 2019
Date of issue

CM70054
Certificate Number



**MINISTRY OF BUSINESS,
INNOVATION & EMPLOYMENT**
HĪKINA WHAKATUTUKI

- This certificate is issued by an independent certification body accredited by JAS-ANZ, the product certification body appointed by the Chief Executive of the Ministry of Business, Innovation and Employment under the Building Act 2004. The Ministry does not in any way warrant, guarantee, or represent that the building method or product the subject of this certificates conforms with the New Zealand Building Code, nor accept any liability arising out of the use of the building method or product. The Ministry disclaims to the extent permitted by law, all liability (including negligence) for claims of losses, expenses, damages, and costs arising as a result of the use of the building method(s) or product(s) referred to in this certificate.
- The certificate holder must maintain compliance with the conditions set out in section 15 of the Building (Product Certification) Regulations 2008. This certificate may only be reproduced in its entirety. It is advised to check that this certificate is currently valid and not withdrawn or suspended by referring to the Register of Product Certificates on the Building Performance website <http://www.building.govt.nz>.