



# PRODUCT CERTIFICATE



**BUREAU  
VERITAS**

This is to certify that

## KLC "Generation 2" H3.2 Exterior Cladding Systems

### Complies with the New Zealand Building Code (NZBC):

If designed, used, installed and maintained in accordance with the scope of this certificate, the above mentioned product will meet or contribute to meeting the following provisions of the NZBC:

**Structure** B1.3.1, B1.3.2, B1.3.3 (a), (c), (f), (h), (j); B1.3.4

**Durability** B2.3.1 (b), B2.3.2

**External Moisture** E2.3.2, E2.3.5, E2.3.7

**Hazardous Building Materials** F2.3.1

Subject to the following conditions and limitations:

1. The KLC Generation 2 Weatherboard & Fascia shall be installed or supervised by a Licensed Building Practitioner in accordance with Bevel Back Weatherboard Technical and Installation Manual (V5, 20 January 2020); Rusticated Weatherboard Installation Guide (V1, 1 March 2018); Vertical Shiplap Weatherboard Installation Guide (V1, 1 March 2018) and; Board & Batten Weatherboard Installation Guide (V1, 1 March 2018). Note: Guides for all profiles listed in the product description section of this certificate are available at [www.klc.co.nz/index.php/installation-guides](http://www.klc.co.nz/index.php/installation-guides).
2. Vertical Shiplap profiles certified for risk score 0 – 6 in a direct fix situation and for risk score 7 – 20 over a cavity situation when evaluated using the E2/AS1 risk matrix
3. Vertical Board and Batten are certified for risk score 0 -12 in a direct fix situation and for risk score 13 – 20 over a cavity situation when evaluated using the E2/AS1 risk matrix
4. Use in either direct fixed or cavity situations for profiles other than those mentioned in conditions 2 and 3 are determined using Table 3 of E2/AS1.
5. The products must be painted using a light colour (above the recommended 45LRV) and maintained as per the relevant guide available at [www.klc.co.nz/index.php/installation-guides](http://www.klc.co.nz/index.php/installation-guides).



[WWW.JAS-ANZ.ORG/REGISTER](http://WWW.JAS-ANZ.ORG/REGISTER)

### Product description

KLC "Generation 2" H3.2 Exterior Cladding Systems components are finger jointed timber products treated to H3.2 and consist of the following profiles:

- Horizontal Bevelback - 230 x 18, 215 x 18, 187 x 18, 180 x 18, 142 x 18, 135 x 18, 142 x 21mm (on request)
- Horizontal Rebated Bevelback - 142 x 18, 135 x 18mm
- Horizontal Rusticated (incl. Hawkes Bay and Wellington profiles) – 230 x 18, 215 x 18, 180 x 18, 135 x 18mm
- Vertical Shiplap – 180 x 18, 135 x 18mm
- Vertical Board and Batten – 180 x 18mm board, 65 x 18mm batten

and components:

- Fascia in 135, 180, 230, 280 x 18mm and 135, 180, 230, 280 x 29mm
- Vertical Cavity battens in 45 x 20mm
- Box Corners in 85 x 18 and 100 x 18mm (internal and external)
- D4S 40, 65, 90, 115, 135, 180, 230, 280 x 18mm
- Scriber 45 x 18, 65 x 18mm

### Product purpose or use

KLC "Generation 2" H3.2 Exterior Cladding Systems are designed for use as cladding and finishing systems for residential and small commercial buildings that fall within the scope of NZS3604:2011 Timber-framed buildings.

### Certificate holder

KLC Limited  
Cnr Middle Road & Kennedy Street  
Kaingaroa Village Rotorua West NZ 3044  
Ph: 07 366 9900  
Web: [www.klc.co.nz](http://www.klc.co.nz)

### CodeMark Product Certification Body

Bureau Veritas Australia Pty Ltd  
3/435 Williamstown Road,  
Port Melbourne VIC, 3207  
Ph: 1800 855 190  
[www.bureauveritas.com.au](http://www.bureauveritas.com.au)

Sam Guindi  
Product Certification Manager

For and on behalf of  
Bureau Veritas Australia Pty Ltd

7 February 2020  
Date of issue

CM70062  
Certificate Number



**MINISTRY OF BUSINESS,  
INNOVATION & EMPLOYMENT**  
HĪKINA WHAKATUTUKI

- This certificate is issued by an independent certification body accredited by JAS-ANZ, the product certification body appointed by the Chief Executive of the Ministry of Business, Innovation and Employment under the Building Act 2004. The Ministry does not in any way warrant, guarantee, or represent that the building method or product the subject of this certificate conforms with the New Zealand Building Code, nor accept any liability arising out of the use of the building method or product. The Ministry disclaims to the extent permitted by law, all liability (including negligence) for claims of losses, expenses, damages, and costs arising as a result of the use of the building method(s) or product(s) referred to in this certificate.
- The certificate holder must maintain compliance with the conditions set out in section 15 of the Building (Product Certification) Regulations 2008. This certificate may only be reproduced in its entirety. It is advised to check that this certificate is currently valid and not withdrawn or suspended by referring to the Register of Product Certificates on the Building Performance website <http://www.building.govt.nz>.