



CERTIFICATE OF CONFORMITY

This is to certify that

Frontier Solid Wood Homes Limited Touchwood® Building System



Product Description

Pre-fabricated all-in-one solid wood wall and brace panel.

Certificate Holder



Frontier Solid Wood Homes Limited
Trading as: Touchwood
NZBN: 9429036142071
PO Box 90491
Victoria Street West
1142 Auckland, New Zealand
P: 0508 868249
W: twd.co.nz

Certification Body

CertMark International Pty Ltd
ABN: 80 111 217 568
JAS-ANZ Accreditation No. Z4450210AK
PO Box 321 Tuakau 2121
+64 (09) 951 8246
www.CertMark.org

Complies with the New Zealand Building Code:

1. NZBC Structure B1.3.1, B1.3.2, B1.3.3(a),(b),(f),(h),(j) and (q)
2. NZBC Durability B 2.3.1(a)
3. NZBC External Moisture E2.3.1 to E2.3.7
4. NZBC Internal Moisture E3.3.1 to E3.3.6
5. NZBC Hazardous Building Materials F2.3.1

Product Purpose or Use

The Touchwood® building system consists of a unique pre-fabricated all-in-one solid wood interior and exterior wall and consolidated brace panel.

Subject to the following Conditions & Limitations:

1. Touchwood® Building System is for use on timber-framed buildings as specified by NZS 3604:2011 Clause 1.1.2.
2. Touchwood® Building System may also be used on buildings that do not meet requirement (a) of NZS 3604:2011 Clause 1.1.2 provided such buildings are subject to specific engineering design (SED).
3. Design and installation of the Touchwood® Building System must be carried out in accordance with the [Touchwood® Technical Information Manual V2-2013](#).
4. Design wall heights greater than 2.7m and design wind speeds greater than 50 m/s (very high wind) fall outside the scope of this certificate and require specific engineering design (SED).
5. Design of foundations, floors and roofs are outside the scope of this certification.
6. Design of wall and roof claddings, including specifications for building wraps and underlays, are outside the scope of this certification however such elements of the building must comply with the requirements of NZBC Clause E2 External Moisture and NZBC Clause E3 Internal Moisture.
7. The certificate holder must maintain compliance with the conditions set out in Section 15 of the Building (Product Certification) Regulations 2008.

John Thorpe

CertMark International Pty Ltd

11/04/2013

Date of Issue

CM40042-I01-R02

Certificate Number

- This certificate is issued by an independent certification body accredited by the product certification accreditation body appointed by the Chief Executive of the Ministry of Business, Innovation & Employment (MBIE) under the Building Act 2004. MBIE does not in any way warrant, guarantee, or represent that the building method or product the subject of this certificate conforms to the New Zealand Building Code, nor accept any liability arising out of the use of the building method or product. MBIE disclaims, to the extent permitted by law, all liability (including negligence) for claims of losses, expenses, damages, and costs arising as a result of the use of the building method(s) or product(s) referred to in this certificate
- It is advised to check that this Certificate of Conformity is currently valid and not withdrawn, suspended or superseded by a later issue by referring to the MBIE website, www.mbie.govt.nz
- This certificate may only be reproduced in its entirety.

